Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




25B252 1145

SX

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES Cotton Quality Report



Classings Through October 2, 2003

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through
October 2, 2003

QUALITY	T			UC	tober 2, 200	STAPLE				
QUALITY	LEAF									
COLOR		26 & -	28	29	30	31	32	33	34	34 &
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bale
11 & 21	1-2		-	275	861	2,909	6,861	12,234	18,416	41,55
	3		3	80	786	3,176	9,562	29,753	49,981	93,34
	4		1	7	53	219	594	1,936	4,378	7,18
	5		-	-	1	2	10	23	81	11
	6		-		-	-	-	-	-	
	7	•	<u> </u>	-			-	-	-	
TOTAL		-	4	362	1,701	6,306	17,027	43,946	72,856	142,202
31	1-2		- "	34	321	1,405	4,321	9,344	11,508	26,933
	3		-	57	624	3,615	16,656	92,748	189,159	302,859
	4	•	-	23	176	1,069	3,859	24,485	78,195	107,807
	5		-	-	33	108	311	1,041	3,463	4,956
	6 7	•	-	•		5	7	43	90	145
TOTAL-	/		-	114	1,155	6,202	25,154	3 127,664	3 282,418	442,707
		-								
41	1-2		-	11	95	372	776	1,310	1,265	3,829
	3		-	12	199	1,420	5,817	25,002	45,665	78,115
	4	•	-	4	70	604	2,906	15,031	50,382	68,997
	5	•	-	2	31	240	887	2,301	6,720	10,181
	6	•	•	-	-	13	39	163	259	474
	7	•	•	-	-	-	2	10	19	31
TOTAL-		•	-	29	395	2,649	10,427	43,817	104,310	161,627
51	1-2				3	7	32	62	97	201
	3		-	-	13	57	339	757	1,038	2,204
	4			-	1	61	298	667	1,082	2,109
	5		-		-	14	76	231	267	588
	6		-		-	1	22	58	48	129
	7	•	-	-		-	14	28	21	63
TOTAL-	بالـــــــال	•	-	-	17	140	781	1,803	2,553	5,294
61	1-2		-	-		•	-	1	1	2
	3	•	•	-	•	-	3	7	13	23
	4		•	-	•	•	1	7	13	21
	5	•	-	-	-	-		1	4	5
	6	-	-					-	1	1
	7	•	-	•	-	-	-	-	1	1
TOTAL		•	•	•	-	•	4	16	33	53
71	1-2	-	-	-	-	-	-		-	
	3	•	-		-	-		1	1	2
	4	•	-	-			-	•		
	5		-	•	•	•		•	1	1
	6		-			•	•	•	•	
TOTAL	7			•	-		<u> </u>	1	-	-
TOTAL	1-2		3	128	240	420	655	670	2	3
12 & 22	II II				240	439			631	2,766
	3	•	5	48	455	2,185	3,611	3,813	2,699	12,816
	4	•	•	2	51	221	453	713	488	1,928
	5	•		-	-	2	21	18	28	69
	6		•	•	-	•	-	-	•	
TOTAL	7	-	8	178	746	2,847	4,740	5,214	3,846	47 570
	4 2		0							17,579
32	1-2	•	-	2	27	145	250	379	226	1,029
	3	1	2	21	497	2,401	3,537	6,531	6,410	19,399
	4	•	-	14	244	1,318	3,027	4,811	6,017	15,431
	5	•	•	3	11	194	487	482	832	2,009
	6		-			11	14	12	17	54
TOTAL	7		2	-	770	4.000	7045	-	-	
TOTAL		•		40	779	4,069	7,315	12,215	13,502	37,922
42	1-2		-	-	4	27	76	115	114	336
	3		-	9	155	685	2,002	4,844	4,996	12,691
	4	-	-	4	183	1,042	2,418	4,782	8,327	16,756
	5	•		2	44	337	938	1,087	1,724	4,132
	6	THE PARTY OF THE P		***	2	14	60	70	121	267
TOTAL	7	•		45	200	2 405	2	6	3	11
TOTAL				15	388	2,105	5,496	10,904	15,285	34,193
52	1-2	-	-	-	14 - 11-	-	14	18	13	45
	3			-	2	35	196	390	442	1,065
	4	-	-	-	7	49	207	497	893	1,653
		-	-	-		15	58	145	243	461
	5									
	6		-	-	-	-	6	23	30	59
TOTAL		:	•	- :	9	99	481	1,073	30 3 1,624	59 3 3,286

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through
October 2, 2003

OLIALITY	11 11			00	tober 2, 200	074515				
QUALITY	LEAF					STAPLE				
COLOR	LEAT	26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2			-	-			2	1	3
	3				-	3	14	32	35	84
	4			-		1	8	24	31	64
	5		-	-			1	2	4	7
	6			-	-				1	1
	7		-	-	-			-	-	
TOTAL		•	-	-	- 1	4	23	60	72	159
13 & 23	1-2			-	3	22	45	14	14	98
	3	MARKET TO		2	24	93	294	195	129	737
	4	Day .				10	53	53	28	144
	5			-			2	1	-	3
	6		-	-				1		1
	7			-						
TOTAL-				2	27	125	394	264	171	983
33	1-2		-	-	-	5	8	16	30	59
100000	3	State of the state		1	26	118	223	332	435	1,135
	4			1	10	89	245	223	194	762
	5				1	91	47	59	13	211
	6					12	7'	1	15	13
	7					12				13
TOTAL			-	2	37	315	523	631	672	2,180
43	1-2			-	-	2	6	26	22	56
	3				6	33	98	239	411	787
	4			1	9	55	126	235	395	821
	5	00	200	1	4	37	48	28	68	186
	6		-			27	9	4	5	45
	7			-	-	-	3			3
TOTAL			-	2	19	154	290	532	901	1,898
53	1-2	-		-	-	-	2	1	-	3
	3						20	87	88	195
	4						14	52	178	244
	5					6	2	20	57	85
	6					1	2	3	18	24
	7								-	
TOTAL		-			-	7	40	163	341	551
63	1-2				-	-			1	1
	3						6	19	7	32
	4					7 .	3	5	7	15
	5					-				
	6		-							
	7	-	-		-			-	-	
TOTAL-					-	-	9	24	15	48
24-54	1-7	-			8	5	28	115	220	376
25-35	1-7								1	1
81-85 1/	1-7				4	1	6	24	26	61
All Colors	8 2/						1	4	4	9
All Colors										

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through October 2, 2003

QUALITY				Octobe	er 2, 2003	STAPLE			
	LEAF								
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	24,992	21,669	11,691	1,098	21		59,471	101,027
100	3	54,223	55,478	53,958	7,238	179	8	171,084	264,425
	4	5,430	5,048	5,033	953	90	12	16,566	23,754
	5	86	76	64	27	1	•	254	371
	6 7		3	2	1			6	6
TOTAL		84,731	82,274	70,748	9,317	291	20	247,381	389,583
31	1-2	6,886	3,848	2,287	279	-		13,300	40,233
	3	137,468	77,866	62,767	11,428	351	13	289,893	592,752
	4	81,994	41,516	37,619	9,955	631	24	171,739	279,546
	5	5,392	2,976	2,811	872	63	7	12,121	17,077
	6 7	122	88 3	192 5	51	6	1	460 8	605
TOTAL		231,862	126,297	105,681	22,585	1,051	45	487,521	930,228
41	1-2	752	358	205	33	1	-	1,349	5,178
	3	35,115	20,495	16,795	3,242	83	2	75,732	153,847
	4	59,733	33,105	28,993	6,970	331	6	129,138	198,135
	5	11,871	7,099	8,577	2,461	169	2	30,179	40,360
-	6	495	362	746	238	19		1,860	2,334
	7	17	1	29	13	•		60	91
TOTAL		107,983	61,420	55,345	12,957	603	10	238,318	399,945
51	1-2	67	- 23	10		-	-	100	301
	3	1,120	1,035	947	95	6	-	3,203	5,407
100	4	1,760	1,089	1,086	260	2	31	4,228	6,337
100	5	634	361	419	100	•	•	1,514	2,102
	6 7	123 9	101 4	84 2	16 1			324 16	453 79
TOTAL	-	3,713	2,613	2,548	472	12		9,358	14,652
61	1-2	1	-	1		-		2	4
	3	15	5	2	2			24	47
	4	14	5	3				22	43
	5	1	2	3	2	-		8	13
	6	6	3	-				9	10
	7		-	1	-	•	•	1	2
TOTAL		37	15	10	4	-	•	66	119
71	1-2	1	-	-	-	-	-	1	1
	3 4				:				2
	5								1
	6	-	-			-		- 1	
	7	•	-	-			•		-
TOTAL		1	•	-		•	-	1	4
12 & 22	1-2	671	679	322	28		-	1,700	4,466
	3	2,416	2,533	2,982	576	9		8,516	21,332
	4	478	407 13	429 8	127	3	-	1,444	3,372
	5	20	13	0	3	-	-	44	113
	7			199					Autoria :
TOTAL		3,585	3,632	3,741	734	12		11,704	29,283
32	1-2	160	85	38	3	-	-	286	1,315
	3	4,939	3,578	3,868	837	26	-	13,248	32,647
	4	5,535	3,360	4,461	1,482	46	8	14,892	30,323
	5	862	382	303	174	12	1	1,734	3,743
	6	18	13	13	15	1		60	114
TOTAL	7	11,514	7,418	8,683	2,511	85	9	30,220	68,142
42	1-2	66	31	15	3	-	-	115	451
72	3	3,571	2,592	2,079	530	11	0.001	8,783	21,474
	4	7,378	4,323	5,770	1,927	59	4	19,461	36,217
	5	1,822	1,016	1,095	424	19		4,376	8,508
	6	123	96	147	40	3	2	411	678
	7	•	4	11		-	-	15	26
TOTAL		12,960	8,062	9,117	2,924	92	6	33,161	67,354
	1-2	3	-	2	1		-	6	51
52		401	331	311	51	2	-	1,096	2,161
52	3				400	-		0.004	4,644
52	4	1,083	823	890	190	5		2,991	
52	4 5	1,083 370	192	254	27	1		844	1,305
52	4 5 6	1,083	192 62	254 64		1		844 199	1,305 258
52 TOTAL	4 5	1,083 370	192	254	27	1 1 - 9	<u> </u>	844	1,305

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through October 2, 2003

QUALITY				Octobe	r 2, 2003	STAPLE			
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2		1		-		-	1	4
	3	8	7	4	2			21	105
The state of	4	16	25	9		-	-	50	114
	5	2		1	-	1		4	11
7.5	6 7					-	-		
TOTAL		26	33	14	2	1		76	235
13 & 23	1-2	26	43	4	2	1	-	76	174
	3	125	131	119	19	2		396	1,133
	4	16	22	17	-		-	55	199
	5	-	2	-			-	2	5
	6		•			-	-		1
	7	467	198	140	21	3	-	529	1,512
TOTAL		167 36	38	16	3	-		93	152
33	1-2	514	544	568	119	2		1,747	2,882
	3 4	292	329	346	118	8		1,093	1,855
	5	27	7	9	8	1	-	52	263
	6	1		1			-	2	15
	7	-		- 1	-	-		2.097	5,167
TOTAL		870	918	940	248	11	•	2,987 55	111
43	1-2	25	18	10	1	1		1,824	2,611
	3	495	555	589	171 392	14 13	2	2,811	3,632
	4	653 95	699 100	1,052 121	67	1		384	570
	5	4	16	11	5			36	81
	7	6		- 12	1			7	10
TOTAL		1,278	1,388	1,783	637	29	2	5,117	7,015
53	1-2	2	3	2		-		7	10
	3	147	159	176	41	4	•	527 973	722 1,217
	4	254	249	339	125 20	6		217	302
	5	54 15	51 22	90 24	20	-		61	85
	6 7	15	1	3	1		-	5	5
TOTAL		472	485	634	187	12	•	1,790	2,341
63	1-2	-			-	-	-	*	1
00	3	6	5	5	1		-	17	49
	4	5	7	17	2		-	31	46
	5	1	2	1	-			4 5	
	6	4		1				1	1
TOTAL	7	17	14	24	3		-	58	106
TOTAL-	47	263	476	365	149	18	2	1,273	1,649
24-54 25-35	1-7	1					-	1	2
81-85 1/	1-7	45	52	50	11	8		166	227
All Colors	8 2/	2	3	8	1	-	-	14	1,926,022
TOTAL, ALL		461,453	296,714	261,357	53,035	2,237	94	1,074,890	
							rage Staple		34.8 70.0
	IEOUS MA					Pen	cent Tenderable		70.0
	k - Level 1		70,571						
	k - Level 2		53						
	ss - Level 1		50,455 967						
	ss - Level 2		6,206						
	p - Level 1 p - Level 2		98						
	er - Level		665						
Othe	r - Level	2	5 de Color. 2/ Below						

Table 2. -- *United States*: Percent distribution of color, leaf and staple for upland cotton classed:

							Octobe	er 2, 200	3			75-1				
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	1		*	0.2	0.4	0.6	1.0	1.3	1.1	0.6	0.1			5.2
11 & 21	3 4	-		- :		0.2	0.5	1.5 0.1	2.6 0.2	2.8 0.3	2.9 0.3	2.8 0.3	0.4			13.7 1.2
110.21	5							*	*	*	*	*				*
	6	-	-		-	1 -	-	-		-	*		*	-	-	*
	7	-	-	-	-	-	-	-		-	-	•	-	-	-	-
TOTAL-		•	•	*	0.1	0.3	0.9	2.3	3.8	4.4	4.3	3.7	0.5	*	*	20.2
	1-2					0.1	0.2	0.5 4.8	0.6 9.8	0.4 7.1	0.2 4.0	0.1 3.3	0.6			2.1 30.8
31	4		_			0.1	0.2	1.3	4.1	4.3	2.2	2.0	0.5	*		14.5
	5	-	-				*	*	0.2	0.3	0.2	0.1	*	*	*	0.9
	6	-	-	-	-	*	*	*	*	*	*	*		*	*	
	7	-		*	*	-	-	*	*	12.0	6.6	5.5	-	*	*	48.3
TOTAL	1-2			*	0.1	0.3	1.3	0.1	14.7 0.1	*	*	3.3	1.2	*		0.3
	3			*	*	0.1	0.3	1.3	2.4	1.8	1.1	0.9	0.2	*		8.0
41	4		-	*		*	0.2	0.8	2.6	3.1	1.7	1.5	0.4	*	*	10.3
	5	-	-	*		*	*	0.1	0.3	0.6	0.4	0.4	0.1	*		2.1
	6	-	-	-	-	*			*	*	*	:		*	-	0.1
TOTAL-	7	-	-	*	*	0.1	0.5	2.3	5.4	5.6	3.2	2.9	0.7	*	*	20.8
	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-		*
	3	-	-	-	*	*	*	*	*	0.1		*	•			0.3
51	4	Dec.	-			*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	5		-		-										-	0.1
	6 7															
TOTAL			-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*		0.8
	1-2	-	-	-	-		-	*	*	*	-	*				*
	3	-	-	-	•	-	*	*	*	*	*	*	•		-	*
61	4	-	•	-	-		•							-	-	
102	5			1	- 1					*				-		*
	7		-			-	-	-	*	-		*		-	-	*
TOTAL		-		-	-	-	*	*	*	*	*	*	*	-	-	*
	1-2	-	-	-	-	-		-			-	-	-	-		
74	3		•	-	-	-		*	*	-	-	-		-	-	*
71	5	11												-		
	6		-					-	-	-	-					
	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	•	•	•	-	-	*	*	*	-	-	-	-	-	*
11891	1-2	-				0.4	*	*	0.4	0.4	*	*		:	-	0.2
12 & 22	3 4			*		0.1	0.2	0.2	0.1	0.1	0.1	0.2				1.1 0.2
12 0 22	5		-	-	-	*	*	*			*		*	-	140	*
	6	-	-	-	-			-	-		-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1-2	•			*	0.1	0.2	0.3	0.2	0.2	0.2	0.2	*		-	1.5
	3					0.1	0.2	0.3	0.3	0.3	0.2	0.2				0.1 1.7
32	4	-	- 4	*		0.1	0.2	0.2	0.3	0.3	0.2	0.2	0.1	*	*	1.6
	5		-	*	*	*	*		*		*			*		0.2
	6 7	-	7	•	-	•	*	*	*	*	*	*	*	*	-	
TOTAL-	/	-	*	*	*	0.2	0.4	0.6	0.7	0.6	0.4	0.5	0.1	*	*	3.5
	1-2	-			*	*	*	*	*	*	*	*	*			*
	3	-	-		*		0.1	0.3	0.3	0.2	0.1	0.1	*	*		1.1
42	4	-	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.3	0.1	*		1.9
	5	-	-	*	*	*	*	0.1	0.1	0.1	*	0.1	*	*	-	0.4
	6 7	-	-	-			*		:	*	*		*	*	*	:
TOTAL-		-	-	*	*	0.1	0.3	0.6	0.8	0.7	0.4	0.5	0.2	*	*	3.5
	1-2	-	-	-	-	-	*	*	*	*	-	*	*			*
	3	-	-	-	*	*	*			*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	*		0.2
52	_ !!			-	-	*	*	*	*	*	*	*	*	*		0.1
52	5						*	*	*	*	*					
52	5 6 7			-	:		*			*	*		*	*		*
52	6	:		:	•	*	*	0.1	0.1	0.1	0.1	0.1	•	*	:	

^{*} Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003 QUALITY STAPLE LEAF COLOR 26 & -28 29 31 32 33 34 35 36 39 37 38 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 0.1 13 & 23 4 5 6 TOTAL-0.1 1-2 3 0.1 33 4 0.1 5 6 TOTAL-0.3 1-2 3 0.1 43 4 0.2 5 6 TOTAL---0.1 0.1 0.1 0.4 1-2 3 53 4 5 0.1 6 TOTAL-0.1 1-2 3 63 4 5 6 TOTAL-24-54 1-7 0.1 1-7 25-35 81-85 1/ 1-7 All Colors 8 2/ 0.3 1.3 3.8 12.9 25.9 24.0 15.4 13.6 2.8 0.1 100.0 TOTAL, ALL----EXTRANEOUS MATTER Average Staple 34.8 Percent Tenderable 70.0 Bark - Level 1 3.7 Bark - Level 2 Grass - Level 1 2.6 Grass - Level 2 0.3 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

1,926,022 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through October 2, 2003

			The state of the s	October 2, 2	2003				
MIKE AND									
FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPF
MIKE 24 & below	-		-	-		-	-	-	
25									
26									
27									
28		0.1							
29		*							
30									*
31						-			
		0.1						*	
32		*			-				
33				-	-		-		0.4
34	0.1	0.1	0.1	-	•	-	-		0.1
35	0.3	0.2	0.1	-	-		-	0.2	0.2
36	0.6	0.4	0.2	-	•	0.1	-	0.4	0.3
37	1.7	0.7	0.3	•		0.3	-	0.5	0.4
38	4.3	1.1	0.5	-	-	0.9		0.7	0.6
39	5.9	1.9	0.8		0.3	1.1	•	0.9	1.0
40	5.9	3.1	1.3	-	1.1	2.3		1.1	1.5
41	6.6	4.2	1.9	-	2.2	4.1	-	1.6	2.2
42	8.9	5.3	2.6	-	3.7	6.1	-	2.2	2.9
43	11.5	6.9	4.0	-	7.4	10.2	-	3.3	4.2
44	11.6	8.4	6.7	-	8.8	14.4	-	5.1	6.4
45	10.7	10.0	9.7	-	15.8	17.6	-	7.4	8.2
46	12.2	11.5	11.7	-	18.9	16.0	-	11.3	10.4
47	9.1	11.3	12.4		17.5	12.5		15.0	12.6
48	5.1	8.7	11.4		10.5	7.7	-	16.1	13.0
49	2.3	7.0	11.1		5.5	4.3		14.1	11.7
50	2.0	6.0	9.6		3.8	1.3		10.2	9.5
51	1.1	5.2	7.4		3.3	0.6		5.6	6.9
52	0.1	3.4	5.2		1.0	0.2		2.7	5.0
53	0.1	2.5	2.0		0.1	0.1		1.1	1.9
			0.7		0.1	0.1	-		
54		1.3		-	:		-	0.2	0.7
55		0.3	0.1				-	0.1	0.2
56		0.1		-		-	7.		
57	-						-		-
58	-	-	-		-				-
59 60 & above	-		-	-		-	-	•	-
	44	46	47	-	46	45	- :	47	47
Average mike	44	40	7/		40	43		47	4/
IBER STRENGTH 1									
17 & below				-					
18									
19									
20									
		•				0.4	-		
21		-			0.2	0.1			
22			0.4		0.2	0.6	•	0.1	0.1
22 23	0.1	0.4	0.1			20		0.0	4.4
22 23 24	0.1 0.3	0.4	0.8		1.2	2.6	•	0.6	1.1
22 23 24 25	0.1 0.3 1.7	0.4 2.4	0.8 3.9	T. Re	1.2 5.1	5.7		3.0	4.9
22 23 24 25 26	0.1 0.3 1.7 6.6	0.4 2.4 9.2	0.8 3.9 10.4		1.2 5.1 17.3	5.7 12.1	:	3.0 10.2	4.9 13.0
22 23 24 25 26 27	0.1 0.3 1.7 6.6 22.7	0.4 2.4 9.2 17.1	0.8 3.9 10.4 19.1		1.2 5.1 17.3 27.3	5.7 12.1 22.9		3.0 10.2 22.7	4.9 13.0 24.0
22 23 24 25 26 27 28	0.1 0.3 1.7 6.6 22.7 31.0	0.4 2.4 9.2 17.1 20.8	0.8 3.9 10.4 19.1 25.5		1.2 5.1 17.3 27.3 21.1	5.7 12.1 22.9 23.8		3.0 10.2 22.7 26.3	4.9 13.0 24.0 27.4
22 23 24 25 26 27 28 29	0.1 0.3 1.7 6.6 22.7 31.0 21.7	0.4 2.4 9.2 17.1 20.8 19.8	0.8 3.9 10.4 19.1 25.5 21.3		1.2 5.1 17.3 27.3 21.1 11.2	5.7 12.1 22.9 23.8 16.5		3.0 10.2 22.7 26.3 17.2	4.9 13.0 24.0 27.4 17.0
22 23 24 25 26 27 28 29 30	0.1 0.3 1.7 6.6 22.7 31.0 21.7 10.5	0.4 2.4 9.2 17.1 20.8 19.8 15.3	0.8 3.9 10.4 19.1 25.5 21.3 13.1		1.2 5.1 17.3 27.3 21.1 11.2 10.3	5.7 12.1 22.9 23.8 16.5 9.9		3.0 10.2 22.7 26.3 17.2 8.3	4.9 13.0 24.0 27.4 17.0 7.6
22 23 24 25 26 27 28 29 30 31	0.1 0.3 1.7 6.6 22.7 31.0 21.7 10.5 4.5	0.4 2.4 9.2 17.1 20.8 19.8 15.3 9.5	0.8 3.9 10.4 19.1 25.5 21.3 13.1 4.3		1.2 5.1 17.3 27.3 21.1 11.2 10.3 5.4	5.7 12.1 22.9 23.8 16.5 9.9 4.1		3.0 10.2 22.7 26.3 17.2 8.3 4.3	4.9 13.0 24.0 27.4 17.0 7.6 3.1
22 23 24 25 26 27 28 29 30 31 32	0.1 0.3 1.7 6.6 22.7 31.0 21.7 10.5 4.5 0.8	0.4 2.4 9.2 17.1 20.8 19.8 15.3 9.5 3.9	0.8 3.9 10.4 19.1 25.5 21.3 13.1 4.3 1.0		1.2 5.1 17.3 27.3 21.1 11.2 10.3 5.4 0.6	5.7 12.1 22.9 23.8 16.5 9.9 4.1 1.3		3.0 10.2 22.7 26.3 17.2 8.3 4.3 3.2	4.9 13.0 24.0 27.4 17.0 7.6 3.1 1.3
22 23 24 25 26 27 28 29 30 31 32	0.1 0.3 1.7 6.6 22.7 31.0 21.7 10.5 4.5	0.4 2.4 9.2 17.1 20.8 19.8 15.3 9.5 3.9	0.8 3.9 10.4 19.1 25.5 21.3 13.1 4.3 1.0 0.3		1.2 5.1 17.3 27.3 21.1 11.2 10.3 5.4	5.7 12.1 22.9 23.8 16.5 9.9 4.1 1.3 0.3		3.0 10.2 22.7 26.3 17.2 8.3 4.3 3.2 2.3	4.9 13.0 24.0 27.4 17.0 7.6 3.1 1.3 0.4
22 23 24 25 26 27 28 29 30 31 32	0.1 0.3 1.7 6.6 22.7 31.0 21.7 10.5 4.5 0.8	0.4 2.4 9.2 17.1 20.8 19.8 15.3 9.5 3.9 1.1	0.8 3.9 10.4 19.1 25.5 21.3 13.1 4.3 1.0 0.3 0.1		1.2 5.1 17.3 27.3 21.1 11.2 10.3 5.4 0.6	5.7 12.1 22.9 23.8 16.5 9.9 4.1 1.3		3.0 10.2 22.7 26.3 17.2 8.3 4.3 3.2	4.9 13.0 24.0 27.4 17.0 7.6 3.1 1.3
22 23 24 25 26 27 28 29 30 31 32 33 34	0.1 0.3 1.7 6.6 22.7 31.0 21.7 10.5 4.5 0.8	0.4 2.4 9.2 17.1 20.8 19.8 15.3 9.5 3.9	0.8 3.9 10.4 19.1 25.5 21.3 13.1 4.3 1.0 0.3 0.1		1.2 5.1 17.3 27.3 21.1 11.2 10.3 5.4 0.6 0.1	5.7 12.1 22.9 23.8 16.5 9.9 4.1 1.3 0.3		3.0 10.2 22.7 26.3 17.2 8.3 4.3 3.2 2.3	4.9 13.0 24.0 27.4 17.0 7.6 3.1 1.3 0.4
22 23 24 25 26 27 28 29 30 31 32 33	0.1 0.3 1.7 6.6 22.7 31.0 21.7 10.5 4.5 0.8 0.2	0.4 2.4 9.2 17.1 20.8 19.8 15.3 9.5 3.9 1.1	0.8 3.9 10.4 19.1 25.5 21.3 13.1 4.3 1.0 0.3 0.1		1.2 5.1 17.3 27.3 21.1 11.2 10.3 5.4 0.6 0.1	5.7 12.1 22.9 23.8 16.5 9.9 4.1 1.3 0.3 0.1		3.0 10.2 22.7 26.3 17.2 8.3 4.3 3.2 2.3 1.2	4.9 13.0 24.0 27.4 17.0 7.6 3.1 1.3 0.4 0.1

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex.)
* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through

				October 2,	2003				
MIKE AND		NEW	NORTH		SOUTH				UNITED
FIBER STRENGTH	MISSOURI	MEXICO	CAROLINA	OKLAHOMA	CAROLINA	TENNESSEE	TEXAS	VIRGINIA	STATES
MIKE 24 & below									
25		-	-	-	•	-	~		*
26			-	-	•	-		-	*
27			-	-		-		-	*
28								-	*
	-	-	-	-	0.3	-	*	-	*
29	-	-	-	-	0.6	-	*	-	*
30	-	-	-	-	0.5	-	*	-	*
31	-	-	-	-	0.5	-	*	-	*
32	-		-		0.9	-	0.1	-	
33	0.4	-	-	-	1.6	-	0.1		0.1
34 35	0.1	1	0.2	•	3.3	-	0.3	- 1	0.2
36	0.3	•	1.6	•	5.9		0.5	-	0.4
37	1.4	16.7	1.5	•	7.0		0.9	-	0.6
38	1.5	50.0	1.5 4.4	-	9.9	0.3	1.3	-	1.0
39	2.6	16.7	6.2	0.7	6.1	0.9	2.0	-	1.5
40	3.3	16.7	8.2	0.7	9.0	1.8	2.7	-	2.0
	9.5	10.7		3.6	10.4	2.7	3.5	-	2.7
41 42	8.4	•	10.0	5.3	8.5	4.0	4.7	-	3.7
42	7.5		13.0 18.1	7.6	6.7	5.3	6.5	-	5.1
44	9.7		13.0	10.5 12.5	8.9 9.5	7.6 10.6	8.2	-	6.7
45	9.4		8.9	14.8	6.6	10.5	9.6	-	8.4
46	13.4		6.5	15.1	2.4	11.0	10.2 10.4	-	9.6
47	9.2		4.7	11.2	1.0	9.7	10.4	•	10.8
48	8.1	_	1.2	5.6	0.2	9.6		-	11.5
49	7.2		0.6	2.3	0.2	9.9	9.3	-	10.9
50	4.3		0.3	2.0	•	8.2	7.7 5.3	-	9.2
51	2.0		0.5	3.0	*	5.3	3.1	- 1	6.8
52	0.4	_		3.0	0.1	2.3	1.7		4.3 2.6
53	*			2.6	0.1	0.3	0.8		1.1
54				0.3		0.1	0.4		0.5
55		_				*	0.2		0.2
56	-	_		_		*	*		v.2
57				-			*		
58	-	-	-	-			*		
59	-	-	-	-			-		
60 & above	-		-	_	-	-	-		_
Average mike	45	38	42						
			72	45	40	46	45	۰	46
IRED CIDENIZIO 41			72	45	40	46	45	•	46
			72	45	40	46	45	•	46
17 & below	-		-	45	-	-	45	•	46
17 & below 18	-		-				45	-	46
17 & below 18 19	-		-				45	-	46
17 & below 18 19 20			-				* *		46
17 & below 18 19 20 21			-				*	-	46
17 & below 18 19 20 21 22			-		:		* * * * 0.1	-	•
17 & below 18 19 20 21 22 23	-		-	-	-		* * * 0.1 0.3	-	0.2
17 & below 18 19 20 21 22 23 24			- - - - - - - 0.2	-	- - - - - - 0.3	-	* * * 0.1 0.3 1.1	-	0.2
17 & below 18 19 20 21 22 23 24 25	- - - - - - 0.1		- - - - - - 0.2 3.6	- - - - - - - - -	- - - - - 0.3 3.9		0.1 0.3 1.1 2.7	-	0.2
17 & below 18 19 20 21 22 23 24 25 26	- - - - - 0.1 1.2 8.6		- - - - - 0.2 3.6 13.1	- - - - - - 0.7 5.3	- - - - - 0.3 3.9 7.2	- - - - - - 0.4 3.1	0.1 0.3 1.1 2.7 4.3	-	0.2 1.1 3.3 7.4
17 & below 18 19 20 21 22 23 24 25 26 27	1.2 8.6		- - - - 0.2 3.6 13.1 23.8	- - - - - 0.7 5.3 12.2	- - - - 0.3 3.9 7.2 9.7	- - - - - 0.4 3.1 11.3	0.1 0.3 1.1 2.7 4.3 6.3	-	0.2 1.1 3.3 7.4 13.3
17 & below 18 19 20 21 22 23 24 25 26 27 28	1.2 8.6 15.7		- - - - 0.2 3.6 13.1 23.8 23.2	- - - - - 0.7 5.3 12.2 15.1	- - - - 0.3 3.9 7.2 9.7 15.5	0.4 3.1 11.3 24.9	0.1 0.3 1.1 2.7 4.3 6.3 8.2	-	0.2 1.1 3.3 7.4 13.3 16.0
17 & below 18 19 20 21 22 23 24 25 26 27 28 29	1.2 8.6 15.7 24.7	50.0	- - - - 0.2 3.6 13.1 23.8 23.2 15.1	- - - - - 0.7 5.3 12.2 15.1 6.6	- - - 0.3 3.9 7.2 9.7 15.5	0.4 3.1 11.3 24.9 26.4	0.1 0.3 1.1 2.7 4.3 6.3 8.2 9.4	-	0.2 1.1 3.3 7.4 13.3 16.0 13.0
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30	1.2 8.6 15.7 24.7 25.9	50.0 33.3		- - - - 0.7 5.3 12.2 15.1 6.6 7.2	- - - 0.3 3.9 7.2 9.7 15.5 19.4 20.5	0.4 3.1 11.3 24.9 26.4 15.7	0.1 0.3 1.1 2.7 4.3 6.3 8.2 9.4	-	0.2 1.1 3.3 7.4 13.3 16.0 13.0
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1.2 8.6 15.7 24.7 25.9 15.6	50.0	0.2 3.6 13.1 23.8 23.2 15.1 10.4 7.2	- - - - 0.7 5.3 12.2 15.1 6.6 7.2 10.9	- - - 0.3 3.9 7.2 9.7 15.5 19.4 20.5	0.4 3.1 11.3 24.9 26.4 15.7 9.6	0.1 0.3 1.1 2.7 4.3 6.3 8.2 9.4 11.2	-	0.2 1.1 3.3 7.4 13.3 16.0 13.0 10.3
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32	1.2 8.6 15.7 24.7 25.9 15.6 7.3	50.0 33.3 16.7	0.2 3.6 13.1 23.8 23.2 15.1 10.4 7.2 2.7	- - - - 0.7 5.3 12.2 15.1 6.6 7.2 10.9 16.4	- - - 0.3 3.9 7.2 9.7 15.5 19.4 20.5 14.3 7.0	0.4 3.1 11.3 24.9 26.4 15.7 9.6 5.8	0.1 0.3 1.1 2.7 4.3 6.3 8.2 9.4 11.2 15.1		0.2 1.1 3.3 7.4 13.3 16.0 10.3 10.4 11.7
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33	1.2 8.6 15.7 24.7 25.9 15.6	50.0 33.3 16.7	0.2 3.6 13.1 23.8 23.2 15.1 10.4 7.2	- - - - 0.7 5.3 12.2 15.1 6.6 7.2 10.9 16.4 18.1	- - - 0.3 3.9 7.2 9.7 15.5 19.4 20.5 14.3 7.0	0.4 3.1 11.3 24.9 26.4 15.7 9.6 5.8 2.0	0.1 0.3 1.1 2.7 4.3 6.3 8.2 9.4 11.2 15.1 19.1	-	0.2 1.1 3.3 7.4 13.3 16.0 13.0 10.3 10.4 11.7 8.7
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34	1.2 8.6 15.7 24.7 25.9 15.6 7.3 0.8	50.0 33.3 16.7	0.2 3.6 13.1 23.8 23.2 15.1 10.4 7.2 2.7 0.7	 0.7 5.3 12.2 15.1 6.6 7.2 10.9 16.4 18.1 5.9	- - - 0.3 3.9 7.2 9.7 15.5 19.4 20.5 14.3 7.0	0.4 3.1 11.3 24.9 26.4 15.7 9.6 5.8 2.0 0.6	0.1 0.3 1.1 2.7 4.3 6.3 8.2 9.4 11.2 15.1 19.1 14.5	-	0.2 1.1 3.3 7.4 13.3 16.0 13.0 10.3 10.4 11.7 8.7 3.5
18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33	1.2 8.6 15.7 24.7 25.9 15.6 7.3 0.8	50.0 33.3 16.7	0.2 3.6 13.1 23.8 23.2 15.1 10.4 7.2 2.7 0.7	- - - - 0.7 5.3 12.2 15.1 6.6 7.2 10.9 16.4 18.1	0.3 3.9 7.2 9.7 15.5 19.4 20.5 14.3 7.0 1.8 0.4	0.4 3.1 11.3 24.9 26.4 15.7 9.6 5.8 2.0	0.1 0.3 1.1 2.7 4.3 6.3 8.2 9.4 11.2 15.1 19.1		0.2 1.1 3.3 7.4 13.3 16.0 13.0 10.3 10.4 11.7 8.7

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex.)
* Less than 0.05 percent.

Table 21. – Percentage distribution of uniformity and trash for upland cotton classed through October 2, 2003

				October 2, 2	2003				
UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72 & below	_								
72 d below 73					•				
74	-	-	-		•	-	-	_	_
75	-		-		•	~	-	-	-
76	-		-	-	•		-	-	_
77	0.1	0.1		-	0.2	0.2	-		
	0.8	1.0	0.4			0.3 2.7	-	4.4	0.1
78			0.1	-	2.1		-	1.1	
79	5.6	6.7	2.0	-	14.3	12.3	-	9.9	2.8
80	17.7	27.6	10.7	•	35.5	33.8	-	27.0	13.5
81	24.2	41.2	32.6	-	35.2	32.6	-	31.0	30.8
82	33.5	20.5	42.6	-	11.4	15.2	-	23.7	38.4
83	16.4	2.9	11.2	-	1.3	2.9	-	6.6	13.3
84	1.6	0.1	0.8	-	0.2	0.2	-	0.6	1.1
85	*	*	*	-	-	*	•	*	
8.5	-	-	-	-	-	-	-	-	-
87	-	-	-	-		-	-	-	-
88	-	-	-	-	•	-	-	-	-
89	-	-	-		-	-	-	-	•
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.4	80.8	81.5	0.0	80.4	80.5	0.0	80.9	81.5
TRASH 2/									
0.0	-	*	-	-	-	-	-	-	•
0.1	•	48.0	0.2	-	0.3	0.1	-	0.8	0.3
0.2	2.9	39.8	5.5	-	5.4	5.0	•	10.4	6.5
0.3	15.2	9.2	21.8	-	23.9	20.5	-	25.4	22.1
0.4	24.2	1.8	25.2	-	28.7	24.7	•	23.8	24.1
0.5	20.8	0.5	18.4	-	20.5	19.1	-	15.7	17.7
0.6	17.0	0.4	14.6	-	14.0	15.6	-	11.5	14.4
0.7	8.3	0.1	6.7	-	4.2	7.2	-	5.2	6.7
0.8	6.1	0.1	4.1	-	1.7	4.1	-	3.3	4.1
0.9	2.9	*	2.1	-	0.7	2.1	-	1.9	2.2
1.0	1.4	*	0.9	-	0.3	0.9		0.9	1.0
1.1	0.7	*	0.3	-	0.1	0.3		0.4	0.4
1.2	0.3	*	0.1	-	*	0.2	-	0.3	0.2
1.3	0.1	-	*	-	-	0.1		0.2	0.1
1.4		*	*	-		*		0.1	*
1.5	*	*	-	-	*	*		*	*
1.6	*		*	-	-	*	-	*	*
1.7	-	-	-	-	-	*		*	*
1.8 & above	-	-	*	-	-	*	-	*	*
Average trash	0.51	0.17	0.47	0.00	0.44	0.48	0.00	0.44	0.47

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. "Less than 0.05 percent.

Table 21. - Percentage distribution of uniformity and trash for upland cotton classed through

October 2, 2003 UNIFORMITY NEW NORTH SOUTH UNITED AND TRASH MISSOURI **MEXICO** CAROLINA OKLAHOMA CAROLINA **TENNESSEE TEXAS** VIRGINIA STATES **UNIFORMITY 1/** 72 & below 73 74 75 76 77 0.1 0.1 78 0.4 2.0 0.9 0.2 1.0 0.8 79 0.6 16.7 2.6 15.8 5.6 2.3 5.2 5.4 80 7.7 4.1 14.1 14.3 10.3 13.6 16.1 81 33.9 16.7 27.3 26.0 29.9 28.1 26.9 28.8 82 45.0 33.3 41.1 30.6 32.8 41.7 33.2 32 7 83 16.7 19.5 11.2 15.1 15.1 15.6 17.3 14.2 84 1.3 16.7 1.5 0.3 1.5 1.7 2.6 1.8 85 0.1 0.1 0.1 86 87 88 89 90 & above 81.7 81.8 81.7 81.0 81.4 81.6 81.5 0.0 81.4 Average uniformity TRASH 2/ 0.0 0.2 22.4 0.1 0.6 3.8 3.2 0.1 0.2 6.9 66.7 8.0 35.2 5.5 8.0 21.6 16.1 0.3 222 33.3 25.8 11.8 17.0 24.6 27.7 25.4 18.8 20.4 0.4 25.0 28.9 15.8 26.7 18.2 0.5 17.5 18.3 6.6 14.2 18.2 10.7 13.3 11.7 4.9 14.3 11.3 7.8 10.1 0.6 12.8 1.6 10.0 5.0 4.7 0.7 6.5 2.6 3.8 0.8 3.9 2.2 1.6 9.3 2.9 2.5 3.0 1.8 0.9 5.7 1.6 1.6 3.0 0.9 0.9 0.7 2.7 0.7 0.8 1.0 1.3 0.7 0.2 1.1 0.3 0.5 0.5 1.1 0.7 0.1 0.3 0.3 0.1 1.2 0.3 0.2 0.3 0.2 1.3 0.1 0.1 0.1 0.1 1.4 0.1 0.1 0.1 1.5 1.6 1.7 0.1 1.8 & above 0.54 0.44 0.00 0.42 0.47 0.43 0.28 Average trash 0.23 0.39

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 3. – *Alabama*: Percent distribution of color, leaf and staple for upland cotton classed:

COLOR									STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TO
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	P
	1-2	-	-	-	-	-	-			0.2	*	-	-	-		0.
	3	-	-	-	-	-	-	0.4	1.5	3.4	1.9	0.1	-	-	-	7.
11 & 21	4	-	-	-	-	-	-	0.3	0.6	1.7	1.6	0.1	-	-	-	4
	5	-	-	-	-	•	-			*	*	-	-	-	-	0
	6	-	-	-	•	-	-	-	-	-	•	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-		-	
TOTAL		-	-	-	-	-		0.7	2.1	5.4	3.6	0.2		-		11
	1-2	-	-	-			0.1	0.4	0.5	0.3		-	-	-	-	1
04	3	-	•	-	-		0.3	4.0	8.6	13.8	6.5	0.2	•	-	-	33
31	4 5	-	•	•	-	•	*	2.3 0.5	6.9 1.3	11.2 0.9	6.8 0.6	0.6	•	•	-	27
	6	_	•			Ī		0.5	1.3	*	*				_	3
	7	-						_		_		_		_		
TOTAL		-				*	0.4	7.2	17.4	26.2	13.9	0.8			-	65
	1-2		-	-				*	0.1	*				-	-	0
	3							1.6	3.5	2.4	0.3					7
41	4	_	-	_		*		0.7	3.5	2.8	0.7	*	-	-	-	7
	5	-	-	-	-	-	-	-	0.4	0.5	0.2	*	*		-	1
	6	-	-	-			-	-	-	*	*	*	-	-	-	0
	7	-	-	-	•	-	-	•	-	-		-	-		-	
TOTAL		-		•	-	*	*	2.3	7.5	5.7	1.3	*	*	-	-	16
	1-2	-	-	-	-	-	-	•	*	-		-	-	-	-	
	3	-	-	-	-	-	-		*	*	-	-	-	-	-	0
51	4	-	-	-	-	-	•	0.1	0.1	0.1	-	-	-	-	-	0
	5	-	-	-	•	-	-	*	*	*	-	-	-	•	-	
	6	-	-	•	-	-	-	-	•	•	-	-	-	-	-	
TOTAL-	7	-	-	-	-	-	-	0.4	0.2	0.4		-		-	-	-
TOTAL-	4.0	•		-	-	•	-	0.1	0.2	0.1	-	-	-		-	0.
	1-2	-	-	•	•	-	•	-	•	•	•	•	•	•	-	•
61	4			_				Ī	-						-	
01	5										-				_	
	6					_										
	7			-											-	
TOTAL		-				-		-								
	1-2	-	-		-	-		-		-			-	-	-	-
	3	-	-		-		-		-		-					
71	4	-	-	-	-		-	-	-	-	-	-		-	-	
	5	-	-	-	-		-	-	-	-	-		•	-	-	
	6	-	-	-	-		-	-	-	•	-	•	-	-	-	
	7	-		-	-	-	-	•	-	•	-	•	•	-	-	
TOTAL		-	-	-	-	-	-		•	•			-	-	-	
	1-2	•	-	-	•	-	-	-	-	-	-	-	-	-	•	
	3	-	-	-	•	-	•	-	-	*	•	•	•	-	•	1
12 & 22	4	*	-	*	-	•	-	•	Ī	•	*	•	-	-	-	,
	5 6	•			•	•	•	•	-	•	-	-	•	-		,
	7											•	•	•	•	
TOTAL-		-:-		-		-		*	*	*	*	-		-		- 1
	1-2					-		-	*	*						1
	3			-		-		0.1	0.1	0.2	*					0.
32	4	-	-	-		-		0.2	0.2	0.2	0.1	*	-			0.
	5		-		-	-	-		*	*	*	*				0.
	6	-	-	•	-	-		-	-	-		-	-	-	-	
	7	-	-		-	-	-		-	-	-	-	-	-	-	
TOTAL-		-		-	-		-	0.2	0.3	0.4	0.1	*	•		-	1.
	1-2	-	-	-	-	-			•	Ŕ	-	-	-	-		1
	3	-	-	-	-	-	*	0.1	0.5	0.1	-	-	•	-		0.
42	4	-	-	-	-	-	*	0.3	1.1	0.3	*	*	-	-	-	1.
	5	-	•	•		-	-	-	0.1	0.1	•	*	-	-	-	0.
	6	-	•	•	*	-	-	•	-	*	*	-	•	-	-	1
TOTAL	7	•		•	•	-	*	- 0.4	4 ~	- 0.4	*	*	-	-	•	
TOTAL	1.0	-	-	-	-	-		0.4	1.7	0.4		-	-	-	-	2.
	1-2	•	•	-	•	-		-	-	-	-	-	•	-	•	
52	3	•		-	-	-	*	0.1	0.1		-	•	-	-	•	0.
04	4 5						*	0.2	0.3		•	•	-	*	•	0.
			-		•	-				•	•				•	
							_	-	-		-	-	-			
	6 7	-	-	-	-										•	

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY								er 2, 200	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	00			-					
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOT
	1-2	-	-	-			-	-	FUL.	FUL.	ru.	PGI.	PGI.	PCI.	PCI.	Po
	3	-	-	-										-		
62	4	_	-	-	-								_		-	
	5	-	-	-	-	-	-	-		-			-			
	6	-	-	-		-	-		-		-	-				
	7	-	-	-	-	-		-	-	-			-	-	-	-
TOTAL		-	-	-	-		-	*	*	-	•		-		-	0.
	1-2	•	-		-	-	-	•	-	-	-	-	-	-	-	
40.0.00	3	-	•	-	-	•	-	•	•	-	•	-	-	-	•	-
13 & 23	4	-	-	-	-	•	•	•	-	-	-	-	-	-	-	-
	5	-	-		-	-	•	•	•	-	-	-	*	-	-	
	7	-	-									-	-	-	•	
TOTAL-		-	-		-	•	-	-		-	-		-	-		
	1-2	-	-	-		-			-		-	-	-	-	-	
	3	-	-		-	-	-	*	*			_	-	_	_	
33	4	-	-	-	-		-		-	-		-	-			
	5	-	-	-	-	-	•	-				-	-	-	-	-
	6	-	•	-	-	•	-		-	-	-	• '	-	-	-	-
	7	-		-	-	-		-	-	-	-	-	-	-		-
TOTAL		-	-	•	-	-		*	*	•	-	•	-	-	•	
	1-2	•	-	-	-	•	-	-	-	•	-	-	-	-	*	*
43	3	-	-	-	-	•	-		0.4	•	•	-	-	-	-	
43	5					•	-		0.1		•	•	-	-	-	0.
	6													-		
	7		-			_	_			_					_	
TOTAL		-		-		-	-	*	0.1		-				-	0.
	1-2	-	•	-		-	-	*	•	-	-	-	-	-		*
	3	-	-	-	•	-	*	*	-	-	-		-	-	-	
53	4	-	-	-	-	-	*	•	*	-	-	-	-	-	-	•
	5	-	•	-	•	-	•	-	-	-	•	-	-	-	•	-
	6	-	-	-	-	-	-	-	-	•	-	-	-	•	-	-
TOTAL-	7	-		•	-		-	-	*	-		•	-	-	-	-
TOTAL-	4.0	-		-	-	•					-	**	*	•	-	0.
	1-2	•		-	-	-	*	*		•	•	-	•	-	•	
63	4		_	-	_	-	_			-				-	-	
03	5												_			
	6		_							-	-				_	
	7		-		-		-				-	-	-	-	-	
TOTAL		-		•	-	-	* .	*		-	-	-		•		1
24-54	1-7	-		-	-	-	-	*	*	-	-	-	-	-	-	1
25-35	1-7	-	-	-	-	-	-	-		-	-	-	•	-	-	
81-85 1/	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-		-	•	- 44.4	-	-	-	-	-	-	-	400
TAL, ALL		-	-	•	•		0.5	11.4	29.8	38.3	19.0	1.0	Α	erage Sta		100
RANEOUS MA	TIER													ent Tende		90.
Bark - Level	1	0.4											1 0100	one ronde	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-
Bark - Level																
Grass - Level		0.4														
Grass - Level		-														
Prep - Level		*														
Prep - Level	2	•														
Other - Level	1	-														
Other - Level																

Table 5. – *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

OLIMITZ/	В						Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39_	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-		0.1 0.6	0.1 2.0	0.1		*	-	-		0.3 4.0
11 & 21	3 4		_	-	-	_		v.6	0.2	1.0 0.2	0.3 0.1		-			0.5
110.21	5		_	_	_	-			-	-	-	_				-
		-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-		-	-		-	-	-	-		-	-	-
TOTAL		-	-	-			*	0.7	2.3	1.3	0.4	0.1	-	-		4.7
	1-2	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	•	-	-	*	0.3	5.2	15.7	10.9	4.2	0.6	*	-	•	36.9
31	5	-	•	•	-	-		1.4	7.7 0.2	11.5 0.6	3.9 0.2	0.4	_	-	•	25.0 1.0
	6		-						*	*	*				-	*
	7	-	-	-		_	-		-	-			-	_		
TOTAL		-	-	-	-	*	0.3	6.8	23.7	23.2	8.2	1.0	*	•		63.3
	1-2	-			-	-	-	*	*	*	*	-		-	-	*
	3	-	-	-	-	-	*	0.9	3.0	2.6	1.0	0.1	-	-	-	7.5
41	4	-	-	•	-	-	*	0.8	4.2	8.2	3.1	0.3	*	-	-	16.6
	5	-	-	-	-	-	•	*	0.6	2.4	8.0	*		-	-	3.8
	6 7															0.1
TOTAL	-	-	-		-	-	0.1	1.7	7.7	13.2	4.9	0.4	*	-	-	28.0
	1-2	-	-	-	-	-	-	-				-		-	-	-
	3	-	-	-	-	-	-	*	*		*	-	-	-	-	*
51	4	•	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	•	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6 7	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-
TOTAL-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-		0.2
10176	1-2	-	-		-	-	-	-		-		-	-	-		-
	3	-	_	-	_	-	-	*	*		-	-		-	_	
61	4	-	-	-	-	-			*	*			-	-	-	*
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	•	-	-	*	-	-	-	-	-	*
	7	-	•		-	•	•	-	-:-	-	-	-	-		-	-
TOTAL	40	-	-	-	-		•				-	•			-	
	1-2		-	-	-		-				*	_	-	-		*
71	4		-	_	-	_	_						_	-		_
	5		-	-	-	-	-	-		-			-	-		-
	6	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	•	-	-			-
TOTAL-		-	•	-	-	-	-	-		-	-	•	-	-	•	*
	1-2	•	-	-	•	-	*				*	-	•	-	-	0.4
12 & 22	4				-						*	*		_		0.1 *
12 0 22	5		-	-						-				_		
	6	-	-	-	-	-	-	-	-	-	-		-	-	-	
	7	-	-	-	-	-	-	-	-	-	-		-	-	-	-
TOTAL-		-	-	-	-	•	*	*	0.1	*	*	*	-		•	0.1
	1-2	•	-	-	-	-	*	*	*	-	•	-	-	-	•	*
20	3	-	-	-	-	-	*	0.3 0.1	0.5	0.3	*		-	-	-	1.1
32	5							v.1	0.3	0.4	*					0.9 0.1
	6		-	-	-	-		-	-	*	*			_		*
	7			-		-		-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	•	-	*	0.4	0.9	0.7	0.1	*	•	-	-	2.1
	1-2	•	•	-	-	-	•	ŵ	*	-	-	-	-	-	-	*
10	3	•	•	*	-	-		0.1	0.1	0.1	*	:	-	-	-	0.3
42	5	•	•		-			0.1	0.3	0.3	*		-	-	-	0.8
	6							*	0.1	0.1	*		•	•	•	0.3
	7	-			-	-	-	-	-							
TOTAL		-	-	-		-	*	0.2	0.6	0.5	0.1	*	-	-	-	1.4
	1-2	-	-				-	-				-	-	-		-
	3	-	-	-	~	-	-	*	*	-	-	-	•	•		*
52	4	•	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	•	-	-	-	-		*	*	*	-	-	-	-	*
	7	•	-	-	-	-	-				•	-	-	-	-	•
TOTAL		-		-	-	-	*	*	*	*	*	-:-		-	-	0.1
" Less than 0.05 pe	oroopt															0.1

Less than 0.05 percent.

Table 5. - Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	11	1	· · · · ·				Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	_	-		-	-		-		•	-	•	-	-	-	-
62	4	-	_			-				*	_		-	-	-	
	5	-	-	-	-	-	-				-	-				
	6	-	-	-	-	-	-		-	•	-	-	-	-	-	_
	7		-	-	-	-	-	-			-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*		-		-	•	*
	1-2	-	-	-	-	~	-	-	•	-	-	-	-	-	-	-
13 & 23	3 4		•	-	-	-	-	•	•	-	-	-	-	-	-	-
10 0 20	5		_	-		_				-	-	-	-	~	-	-
	6	-	-	-	-	-	-	-				-	_			
	7	_	-	-	-	-		-			-	-	-	-	-	-
TOTAL		-	-	-	-			-			-	-	-	-	-	-
	1-2	-	-	-	-	-	•		•		-	-	-	-	-	-
20	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	5		-	•			-	•	*	•	-	-	•	-	-	*
	6		-	-		_	-	-		-		-		-	-	-
	7	-	-	_		_	-					_	_	-	_	-
TOTAL-		-	-	-	-	-		*	*	*		-	-	-	-	*
	1-2	-	-	-	-	-	-		-	-	-		-	-	-	-
	3	-	-	-	-	-	-	*	*	ŵ	-	-	-	-	-	*
43	4	-	-	-	•	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	•	•	-	-	-	•		-	-	-	-	-	
	7		_									-	-	-		
TOTAL		-	-	-	-	-		*	*	*	-	-	-			*
	1-2	-	-	-			-	-		-	-	-	-	-	-	-
	3	-	•	-	-	-	-	-	-	-	-	•	-	-	-	-
53	4	•	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5 6	-	-	-	•	•	•	-	-		-	-	-	-	-	
	7			-					-				-	-		
TOTAL-		-				-	-		w	*			-		-	*
	1-2		-	-	-	-	-	-	-		-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-		•	-	-	-	-	-
63	4	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 7				_	-	-						-	-		
TOTAL		-	-	-	-	-				-	-	-	-	-	-	
24-54	1-7	-	-	-		-	-	-			-	-	-	-	-	-
25-35	1-7	-	-		-	-					*		-	-	-	-
81-85 1/	1-7	-	-	-		-	-		•	-	-	•	-	•	•	-
All Colors	8 2/	-	-		-	•	•	•	•	•	-	-	•	-	-	-
TOTAL, ALL		-	-	•	*		0.5	9.9	35.4	39.0	13.7	1.5		- 04	-	100.0
XTRANEOUS MA	TIER												Perce	erage Sta ent Tende	apie	34.6 70.5
Bark - Level	1	*											1 610			, 5.0
Bark - Level		-														
Grass - Level	1	0.2														
Grass - Level	2	-														
Prep - Level		*														
Prep - Level	2	-														
Other Louis	4 11															
Other - Level																

Table 4. -- *Arizona*: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

COLOR								Octobe	r 2, 200	3							
COLOR 28 & 28 29 30 31 32 33 34 35 38 37 38 39 40 & 70 TAL	QUALITY									STAPLE							
Pet	001.00	LEAF	00.0	20	20	20	24	20	22	0.4	25	26	27	20	20	40.8.4	TOTAL
1-2	COLOR	-		Dot.	Pct Pct	Dot Dot	Dot.	Dot.	Dot	Det	Dot	Dot.	Dot.	Dot	Det Det	40 & +	Pot
118.21		1.2	FCI.	rot.		rot.	FGI.						6.7	0.3	*		
118.21								_							*	*	18.4
TOTAL— TOTAL—	11 & 21				_			_			0.2			-		_	
Color			-	-		-		_	_	*	*	-		*		-	
TOTAL— TOTAL—			-		-		-	-	-			-	-		-	-	
1-2			-				-	-	-	-	-	-		-	-	-	
31	TOTAL		-	-	-	•	-	*	1.4			33.4		0.3	*	*	
31		1-2	-		•	•	-	*	*	0.2				*	-	-	1.3
S		3	-	-	•	•	-	*	*	0.4				*	-	-	1.6
TOTAL— TOTAL—	31	H	-	-	•	-	-	*	*				*	•		-	0.6
TOTAL— 1-2		11	-	-	-	•	-	-	*	*	*	*	•	-	-	-	
TOTAL— TOTAL—			•	-	•	-	-	-	-	•	-	-	-	•	•	•	
1-2	TOTAL	/	-	-	-		-	-	- 0.4	- 0.0	-	4.0	- 0.2	-	-	-	
41	TOTAL	1 10	-	-	•		-			0.8	1.4				•	-	
41				•	-	-	-	•	•				•	•	-	-	0.1
TOTAL	44	II .	-	-	-	•	-	•	*				•	•	-	•	
TOTAL— TOTAL— 1.2 1.3 1.4 1.7 TOTAL— TOTAL— TOTAL— 1.2 1.2 1.2 1.3 81 81 84 84 85 86 87 70 TOTAL— 1.2 1.3 3	41	II.			•	-		-									
TOTAL— 7		H				-					_						
TOTAL— 1-2 1-3 3		H															
51	TOTAL	1	-				-	*	*	*	*	Ŕ	-	-			0.1
51		1-2	-		-	-	-	-	-	-	-		-		-		
51			_		-	-	-		-					-	-	-	-
TOTAL— TOTAL—	51	El	-	-	-	-	-	-	-		-	-	-	-	-	-	-
TOTAL— TOTAL—		5	-		-	-	-	-	-	-	-	-	-	-	-		-
TOTAL— 1-2 71 71 8 8 8 7 70 70 70 70 70 70 70		6	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
61		7	-	-	-	•		-	-	-	•	•	-	~		-	
61	TOTAL			-	•	-	-	-	-		•		-	-	•	•	•
61			-	•		-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		3	-	•	-	-	-	-	-	-	-	-	•	-	•	-	-
TOTAL	61	II I	-	-	-	-	-	-	•	-	•	-	-	•	-		-
TOTAL— TOTAL— 1-2 1-2 1-3 3		II I	-	-	-	-	-	-	•	-	•	•	-	-	-	-	-
TOTAL— 1-2 3 3				-	-	•	•	-	•	-	-	•	-	-	-	-	•
71	WO WALL	7	-	-	-	-	-	-		-	-		-		-	-	-
71	TOTAL	10	-	-	-	-	-			-							
71			•	-	-	•	-	-	-	-	-	-	•	•	-	•	-
TOTAL— 11-2 12-8-22 11-2 1	74	II I			_			-	•	•	•		-	•	•	•	-
TOTAL— TOTAL— 1-2	"	DI I			_		_						_	-			
TOTAL— 7				-													
1-2		11 3		-	-	-						_					
1-2	TOTAL		-			-		-	-		-			•	-		-
12 & 22		1-2		-		-			*	0.5	0.8	0.8	0.2				2.4
12 & 22			-		-	-	-		*					*			2.5
TOTAL— TOTAL— 1-2	12 & 22	4	-		-		-	-	*	-	*	*	*	•	-	-	*
TOTAL— 7		5	-	-	-	-	-	•	-	*	-	-	-	-	•		*
TOTAL - - - - 4.9 11-2 - - - 0.1 0.1 * - - 0.3 32 4 - - - 0.1 0.3 0.2 - - 0.6 32 5 - - - - 0.1 0.3 0.2 - - 0.6 42 5 - - - - - - - - 0.2 52 4 -			-	-	-	-	-	-	•	-	-		-	-	-	•	
32		7	-	-	-	•	-	-		-	-	-	-		•		-
32	TOTAL		-	-	•	-	-	•	*					*	-	-	
32		11 11	-	-	-	-	-	-	*				*	-	-	•	0.3
TOTAL— TOTAL— 1-2 3		II II	-	-	-	-	-	*					*	-	-	•	0.6
TOTAL— 1-2 3 42 44	32	11 13	•	-	-	-	-	-	*				•	•	-	•	0.2
TOTAL— 7		21 11	-	•	-	-	-	-	-		•		1	-	-	•	
TOTAL— 1-2 1-2 3 42 4					_				-	•	-	-				•	•
42	TOTAL -				-			*	0.1	0.3	0.5		0.1			•	11
42	TOTAL	1.2						*	*	*	*	*	*				
42								*		*	*	*					U.1
5	42	11		-	-				*	*	*						*
TOTAL— 1-2 3	74.			-	-			-		*	*	*					
7			-	_			-		-	-	_		-				
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-			
52 1-2	TOTAL-		-	-		-	-	*	0.1	*	0.1	*	*				0.2
52		1-2	-	-	-	-	-	-	-	-	-		-				
52			-	-	-			-	-		*			-			
5	52		-	-	-	-	-	-	-	-	-				-		
7		5	-	-	-	-	-	-	-	-	-	-	•	-	-		-
TOTAL * * *			-	-	-	-	-	-	-	-	-	-	-	-		-	-
		7	-	-	-	-		-	-	-	-	-		-	-	-	-
			-	•	•			-	-	-	*	-	-	-	-		*

Less than 0.05 percent.

Table 4. – Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

		,					Octobe	er 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	28 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-		-	-	-		-
	3	-	-	•	•	-	-	-	-	-	-		-	-	-	-
62	4	-	-	-	-	-	-	~	-	-	-	-	-	-	-	-
	5 6	-	-	-	-	-	-	•	-	-	•	•	-	-	-	-
	7				-	_		-	-		-		-	-	~	-
TOTAL		-	-	-	-						-				-	-
	1-2	-	-		-	-			-	-	-		-			-
	3	-	-	-	•	-	-	-	-	-	*	-	_	-	-	
13 & 23	4	-	-	•	-	-	-	-	-	-	-	-	-	~	-	•
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 7	-	-	-	•	-	~	•	-	-	•	-	-	-	-	-
TOTAL-		-		-		-	-	-		-	*	*		-	-	*
JOIAL	1-2	-		-					*	*	*	*		-		*
	3						-		w	*	*	w	-	-		*
33	4	-	-	-		-	-			*	*	-	-	-		
	5	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
TOTAL	7	-	-	•	-	-	-	•		-	-	-	-	-	-	-
TOTAL-	12	-	-	-	•	-	-	-					-	-	-	
	1-2					-	_		-	-		-	-	-	-	-
43	4		-		-		-	-		*		_	-	-		
	5	-	-	-	-	-	-			-	-	_	_	-		
	6	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-
	7	-		-	-	-	-	-	-	-	-	•	-	-	-	•
TOTAL-		-	-		•	-	-	-	•	*	-	•	•	•	•	*
	1-2		*	-	-	-	-	-	-	-	-	•	-	-	-	•
53	4		-			-	_		-					_		
55	5	-	-	-	-	_	-	**	-	-	-	_		_		_
	6	-	-	•	-	-	-	-	•	•	-		-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-		-	•	-	•	•	-	-	•	-	•	-	-	-	-	•
	1-2	-	-	•	-	-	-	-	-	-	-	-	•	-	-	-
63	3 4	_	_	-	-		-	-	-	-	-		-			
03	5					-							_	-		
	6		-		-		-	-	-	-	-	-	-	-		-
	7	-	-	-	•	-	-	•	-	-	•	-	-	•		
TOTAL		-	-	-	-	-	-	-	-	•		•	-	-	-	•
24-54	1-7	-	•	-	-	-	-	-			-	-	-	-	-	-
25-35	1-7	•	-	*	-	-	-	-	-	-	•	-	•	-	-	-
81-85 1/ All Colors	1-7 8 2/		-	_	-	-						-				
TOTAL, ALL	02	-	-			-	0.1	1.7	11.6	39.9	36.5	9.8	0.4	*	*	100.0
EXTRANEOUS MA	TTER													erage Sta	ple	35.4
271104120001111														ent Tende		78.5
Bark - Level		0.6														
Bark - Level																
Grass - Level		0.6														
Grass - Level Prep - Level		-														
Prep - Level																
Other - Level	1	0.1														
Other - Level	1															
34,973	Bales cla	assed. 1	I/ Below C	Grade Col	or. 2/ Bel	ow Grade	Leaf. * L	ess than	0.05 perc	ent.						

Table 6. — *California*: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY			0. 04				Octobe	r 2, 200	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	-	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
11 & 21	3	-	-	•	-	-	-	-	-	•	•	-	-	•	•	-
110.21	5		-	-				_		-		_	-	-		-
	6	-	-	-	-		-	-	-	-	-	-	-	-	-	-
70741	7	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-	1-2	-	-			-	-		•	-	-			-	-:	-
	3	-		-	-		-	-		-		-	-	-		-
31	4	-	-	•	-	-	-	-	-	-	-	-	•	-	-	-
	5	-	-	-	-	-	•	-	•	-	-	-	-	•	-	•
	6 7		-			-	-	-		-	-	-	-	-	-	
TOTAL		-	-	-		-			-	-		-	-	-		-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	3 4	-	-	•	-	•	•	-	-	-	-	-	-	-	•	-
41	5		-	-			-		-	-		-	-	-	-	
	6	-	-	-	-	-	-		-	-	-	-	-			
	7	-	-	-	-	-	-	-	•	-	-	-	-	•	-	-
TOTAL	1-2	-	-	-	•	-	•	-	-	-	-	-	-	•	-	-
	3		-	-	-								-	-		
51	4	-	-			•	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	•	-	-	-	•	-	•	•
	6 7		-	-			-	-		-	-	-	-	-		-
TOTAL		-	-	-	-	-	-	-				-	•	-	-	-
	1-2		-	-	•		-		-	-	-	-	-	•	-	
	3	-	-	-	-		-	-	-	-	•	-	-	-	-	-
61	5			-	-		-	-	-					-	-	-
	6			_	-				-	-	-	_	-	-		
	7	-	-	-	-	-	-	-	•	-	•	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	•	•	•	-	•	-		-
	1-2		-		-		-	-	-	-			-	-		-
71	4	-	-	-	-		-	-	•	-	-	-	-	-	-	-
	5	-	-	-	-	•	-	-	•	-	-	-	-	~	-	-
	6 7		-	-	-	-	-	-	-							
TOTAL-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	•	•	•	•		•	
12 & 22	3	-	-	-	•	*	-	-	•	•	-	-	•	-	-	-
12 0. 22	5	_	-				-	-			-			-		-
	6	-	-		-	-	-	•	-	-	-	-	-	-	-	-
TOTAL-	7	•				-	-	-	•	•	- "	•	-	-	•	-
TOTAL	1-2	-	-	-	-	-	-				-			-	•	-
	3		-	-	-	-	-	-	-		-					-
32	4	-	-	-	•	-	-	-	-	-	•	•	-	-	-	-
	5	-	-	-	-	•	-	•	•	•	-	•	•	-	-	-
	7		-	-	-	-	-		-							
TOTAL		•		-	-	•	-	-	-	-		-		-	•	-
	1-2	-	-	-	-	-	-	-	-	•	-	•	•	-		-
42	4		-	-	-		-	•	-	•	-	-	-	•	•	-
72	5		-	-		-			-	-	-					-
	6	-	-	-	-	-	-	-	•	•	•			-		-
TOTAL	7	-	-	-	-	-	-	-	•	•	•	-	-	-	-	-
TOTAL	1-2	-	-		<u> </u>		-		-	-	-	-	-	-	-	-
	3		-				-		-		-					
52	4	-	-	-	-	-			-	-	-				-	
	5	-	-	•	-	•	-	•	-	-	-	-	-	•	-	-
	6 7	-			-		•	-	-	-	•	-	-	•	•	-
													-	-		
TOTAL— Less than 0.05 pe			-	-		-	-	-	-		-		-			-

Less than 0.05 percent.

Table 6. – *California*: Percent distribution of color, leaf and staple for upland cotton classed:

OLIAL ITO	0 1						Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR	LLA	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	•	•	-	-	-	-	-	-	-	-
62	4	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-
	5		_	-		•	-	-	-	-	*	-	•	~	-	-
	7								_	-	_			-	-	-
TOTAL		-	-	-			-	-		-		-	-			
	1-2	-	-	-	-	-	-	-		-	-	-				-
	3	-	-		-	-		-	-	-			-	-	-	
13 & 23	4	-	-	-	•	-	•	-	-	-	•	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	•	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7		-	-	-	-	-		-	-		•	-	-	•	-
TOTAL	4.0	-	-		-	•		-	-		-	-		-	-	-
	1-2			-	-	-	-	-	-		•	•	•	-	-	•
33	4								-					-		-
00	5		-		-	_	-	-		_			_	_		-
	6	-	-		-	-	-	-	-	-	-	-	-	_		-
	7	-	-	•	-	-	-	-	-	-		-	*	-		-
TOTAL		-	-	•	-	•		-	•	-		-	-	•	•	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	3	-	-	-	-	-	-	-	-	-	-	•	-	-	•	-
43	4	-	-	-	•	-	-	-	-	•	*	-	-	-	-	•
	5	*	-	-	-	-	•			_		•	-	-	-	-
	6 7		-	-	-						-		-	-		-
TOTAL-			-	-	-	-		-	-	-		-	-	-	-	-
	1-2	-	-					-	-	-		-	-	-		-
	3	-	-	•	-		-	-		-	-	-	-	-		-
53	4	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
	6	-	-	-	•	-	-	•	-	-		•	-	-	-	-
TOTAL	7_	-	-	-	-	-		-	-	-	-	-			-	-
TOTAL	1-2	-		-		-	-	-	-	-				-		
	3			_		_			_	-		-	-	-		
63	4	-	-		-	-	-	-	-	-	-	-	-	-	•	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	•	-	-	-	-	-	-	-	-	•		-	-		-
	7	-		-	•	-	-	-	-	-	•	-	-	-	-	-
TOTAL-		-	-	-	•	-	*	-	-	-	-		-	-	•	•
24-54	1-7	-	-	-	-	-	-	-	-	•	-	-	-	-	•	•
25-35	1-7	-	-	•			-	_	-		-		_	-	•	
81-85 1/ All Colors	1-7 8 2/	_							-						*	
TOTAL, ALL	02		-		-	-	-	-		0	0	0	0	0	0	0
EXTRANEOUS MA	TTER								***				Ave	erage Sta	ple	
Bark - Level Bark - Level Grass - Level Grass - Level Prep - Level	1 2 1 2	-											Perce	ent Tende	erable	
Prep - Level	2	0														
		0														
Other - Level Other - Level		0														

⁻ Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. Less than 0.05 percent.

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

QUALITY	1						OCIOL	per 2, 20	STAPL	.E						
	LEAF															
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	94 Pct.	35_ Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOT/ Pct
	1-2	-	-	-	-	-	-		*		-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.3	0.2	0.1	-	-	-	-	-	0.6
11 & 21	4	-	-	-	-	-	-	0.1	0.8	0.2	0.1	-	-	-	-	1.2
	5	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-
	6 7		-						-			-				- [
TOTAL		-	-			-	-	0.4	1.0	0.3	0.1			-		1.8
	1-2	-	-	-	-		*	0.8	1.1	0.3	•	_	-	-	-	2.2
	3	-	-		-	-	0.1	7.2	20.1	12.2	1.2	*	-	-		40.
31	4	-	-	-	-	-	-	1.0	4.0	6.8	1.2	0.1	-	-	•	13.
	5	-	-	-	-	•		*	-	-	-	•	-	•	•	
	6 7			-	_			-					_			
TOTAL		-		-	-	-	0.2	9.0	25.2	19.3	2.4	0.1		-	-	56.
	1-2	-		-	-	-	*	0.1	0.1	0.1		-	-		-	0.3
	3	-	-	-	-	-	0.1	6.3	12.1	6.1	0.8	-	-	-		25.
41	4	-	•	-	-	-	-	0.7	4.0	4.9	1.4	*	-	-	-	11.
	5	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	•	-	0.3
	6 7	-	-							-	-			-		
TOTAL		-	-	-		-	0.1	7.1	16.3	11.2	2.3	*	-			37.
	1-2	-	-	-	-	-	-			-			-	-	-	-
	3	-	-	-	-	-	-	-	*	0.1	-	-	-	-	-	0.1
51	4	-	-	-	-	-	-	*	*	-	•	-	•	-	•	0.1
	5	-	-	•	-	-	-	-	-	-	-	-	-	-	•	-
	6 7						_	-			-	-	-	-		
TOTAL-		-		-	-		-	*	0.1	0.1	-	-	-			0.2
	1-2	-	•	-		-	-		-	-	-			-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-		-
61	4	-	-	-	-	-	-	-	•	-	-	-	-	-		-
	5	-	-	-	-	-	-	•	•	-	•	-	-	-	-	•
	6 7		-	-	-			-	•	-		•	•	_	-	-
TOTAL-		-	-	-	-	-	-		-		-		-			
	1-2	-		-	-	-	-		-	-	-	•	-	-		-
	3	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	•	-	-	-	•	-		-	-	•	-
	5	-	•	-	-	-	-	-	•	-	•	-	•	-	•	-
	7				-	-	-	_	-	-	-			-		
TOTAL					-	-			-	•		-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-		-	-
	3	-		-	-	-	-	-	-	-	-		-	-	•	-
12 & 22	4	-	-	-	-	-	-	-	•	-	-	-	-	•	-	-
	5 6	-		-	•	-	-	-	•	-	-	•	-	-	-	-
	7			_		-	-						-			
TOTAL-		•	-	-	-	-	-				-			-	-	-
	1-2	-	-	-	-		-	*	-	*	•	-	•		-	0.1
	3	-	-	-	-	-	-	*	0.2	0.2	-	-	-	•	-	0.4
32	4	•	•	•	-	•	-	-	0.1	*	-	•	-	-	•	0.1
	5		-	-	-		-		-		_			-		-
	7	-	-	-	-			-	-	-	_		-	-		
TOTAL		-	-		-	-	-	0.1	0.2	0.2		-	-		-	0.6
	1-2	-	-	•	-	-	-	*	-	0.1	•	-		-		0.1
	3	-	-	-	-	-	-	0.1	0.7	1.2	*	-	•	-	•	1.9
42	4	•	-	-	-	-	•	•	8.0	0.5	0.1	•	•	-	•	1.4
	5								-					-	•	•
	7	-			-				-	-	-			-		_
TOTAL		-	-	-	-	•	-	0.1	1.4	1.7	0.1	-	-	-		3.4
	1-2	-	-	-	-	•	-	-		-	•		•	-	-	-
	3	-	-	•	-	-	-	-	-	-	-	-	•	-	-	-
52	4	-	-	•	-	-	•	0.2	0.1	•	•	-	•	•	-	0.3
	5							0.1	-			-	-		•	0.1
- 1																-
TOTAL	7	-		-	-		-	-			-	-	-		-	-

Less than 0.05 percent.

Table 7. – Florida: Percent distribution of color, leaf and staple for upland cotton classed:

Oliver ITTY	11						Octob	per 2, 20	003							
QUALITY	LEAF								STAPL	E						
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	25	26	27	20	20	40.0	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2	-	-	-		-	-	-	-	-	-	-	-	-	FCI.	FGI.
	3	-	_	-	-	-	-	_				_				_
62	4	-	-	-	-	-	-	-		-	**	-	-	-		
	5	-	-	-	-		-	-	-	-	-	_	-	-		-
	- 6	-	-	-	-	-	~	-	-	-	-	-	-	-	-	•
	7	-	-	•	-	-	•	-	-	•	-	-	-	44	-	
TOTAL-			•	-		-	-	-	-	-	-	-		-	-	
	1-2	-	-	•	٠	-	-	-	-	-	-	-	-	-	-	-
42 9 00	3	-	-	•	-	-	-	-	-	-	-	-	-	-	•	-
13 & 23	5	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-
	6		-			•	-	-	-	•	-	-	-	**	-	-
	7						-				-		*	•	-	-
TOTAL		-	-			-	-		-		-	-	-			
	1-2	-	-	-	-		-	-	-	-		-	-			
	3	-	-					*	0.3							0.3
33	4	-	-	-	-	-	-	-	*	-		-	-	-		*
	5	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-		-	-	-	-	-	-	-
	7	-	-	-	•	-	-	-	-	•	-	-	-	-	-	-
TOTAL		-	-	•	•	-		*	0.3	-	-	-	-	-		0.4
	1-2	-	-	-	-	-	-	-	-	•	•	-	-	-	-	-
40	3	-	-	•	-	-	-	•	-	-	•	•	•	•	-	-
43	4	-	•	•	•	-	-	-	•	-	-	-	-	-	•	-
	5		-			-	•	•			•	•	-	*		-
	7		-		-											
TOTAL		-	-	-	-		-									
	1-2		-	-		-	-				-		-	-	-	
	3	-	-	-	-	-	-	-	-	•	-	-	-	-	-	
53	4	-	-		-	-	-	-	•	•	-	-	-	-	-	-
	5	-	•	-	-	-	-	-	-	•	-	-	•	-	•	-
	6 7	-	-	-	-	-	-	-	•	•	-	-	-	-		-
TOTAL		-	-	-	•	•					-	-	-	-		
TOTAL	1-2				-	-	-	-		•	-	•	-	-		
	3												-			
63	4							_						_		
00	5	_	-	-			-	-			_	_		_		-
	6	-	-	-	-	-	_	-			-	-	-			-
	7		-		•		-	-	-	-		_	-		-	
TOTAL		-	•		-	-	-	-		-	-	-	-	•		•
24-54	1-7	-		-	-		-	-	-	*	-	-	-	-		*
25-35	1-7	-	•	-	-	-	-	-	*	*	-	-	-	•	-	0.1
81-85 1/	1-7	-	-	-	-	-	-	-	-	•	-	-	-	-	•	-
All Colors	8 2/	-		-	-	-	0.2	17.1	44.8	32.9	4.9	0.2	-			100.0
TOTAL, ALL EXTRANEOUS MA	TTED	-	-	-	-	-	0.2	17.1	44.0	32.9	4.3	0.2	Δ,	verage St	anle	34.3
EXTRANEOUS MA	TIER												Per	cent Tend	lerable	85.3
Bark - Level	1	0.6											, 0,,	20116 1 0116	.0.00.0	
Bark - Level		-														
Grass - Level		0.2														
Grass - Level		-														
Prep - Level	1	0.1														
Prep - Level	2	-														
Other - Level	1	•														
Other - Leve	1	-	115	0 1 5	1 515			1 1	- 0.05							
3,204	Bales cl	lassed. '	1/ Below	Grade Co	lor. 2/Be	llow Grad	e Leaf. *	Less that	0.05 per	cent.						

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

QUALITY							001000	r 2, 200	STAPLE							
COLOR	LEAF	00.0	0.0	20	20	24	20	22	24	25	26	27	20	20	40 & +	тот
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	Pct.	Pc
	1-2	POL.	1 01.		1 01.	-		#	0.1	0.1	*		-		-	0.2
	3							0.3	1.0	1.0	0.2	*	_			2.5
11 & 21	4						*	U.5	0.1	0.1	*					0.2
110.21	5								U. I	*						*
	6	-		_		_	_				•					
	7						_		-		_					_
TOTAL			-	-	-	*	*	0.3	1.2	1.2	0.2	*	-	-	-	3.0
TOTAL		-	-	-			*				*					0.0
	1-2	-	-	-	-	-		0.2	0.3	0.1		-		•	-	
	3	*	•	-	•	_	0.3	5.5	16.7	13.4	2.2	0.1		-	-	38.
31	4	-	-	-	-	*	0.1	1.3	4.4	3.9	1.2	0.3	0.1		-	11.
	5	-	•	-	-	-	*	*	0.2	0.1	*	*	-	-	-	0.
	6	-	-	-	•	-	-	-	- '	-	-	•	-	-	•	-
	7	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-
TOTAL-		-	-			*	0.4	6.9	21.6	17.6	3.5	0.4	0.1	7	-	50.
	1-2	-	-	-		*	*	*	*	*	-		-	-	-	0.
	3	-	-	-	*	*	0.2	2.8	8.4	7.1	1.3	0.2	*	-	-	20
41	4	-	-	-	-	*	0.1	1.9	6.6	6.7	2.0	0.5	0.1	-	-	17
	5	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	-	-	1.
	6	-	•	-	-	-		-	*	*		-			-	
	7		-		-	-	-	-	-	-	-	-		-	-	
TOTAL		-		-	*	*	0.3	4.8	15.4	14.3	3.5	0.7	0.1			39
	1-2			-	-	-		-	*				-	-	-	-
	3							*	0.1	0.1	*	*				0.
51	4							0.1	0.3	0.3	0.1	0.1	*			0.
01	5							*	*	*	*	*	*			0.
	6									*		_				٠.
	7										•	_				
TOTAL-		-				•		0.2	0.5	0.4	0.1	0.1	*		-	1
TOTAL	4.0							0.2	0.5	0.4	0.7	0.7				1
	1-2	-	-	-	•	-	-	•	-	-	-	-	•	•	•	-
	3	-	-	•	-	-	-	-		*	-	•	-	-	-	-
61	4	-	-	•	-	-	-	-	•	•	-	-	-	-	-	
	5	•	-	-	•	-	-	-	-	-	-	-	-	-	-	-
	6	-	~	-	•	-	-	-	-	-	-	-	-	-	•	-
	7_	-	•	-	-	-	-	-	-	-		-	-	-	•	-
TOTAL		-		-	-	-	-	-	*	-	-	-	-	-	-	*
	1-2		-	•	-	•	-	-	-	-	-	-	-	-	-	
	3	-	-	-		-	-	*	-		-	-	-	-	-	*
71	4	-	-	-		-	-	-		-			-	-		-
	5			-	-	-		-	-			-		-	-	-
	6	-	-	-	-	-		-				-	-	-	-	
	7	-			-	-					-	-	-	-	-	
TOTAL						-		*	-	-			-		-	*
	1-2															
	3	_						_	-		•		•	-	•	
12 & 22	4								*	*						
12. 0. 22	5						_									
										•						-
	6 7								-	•	•		•	•	•	-
TOTAL				-	-	-	-	-	*	•	-	•	-	•	•	-
TOTAL		-				•		-	*		-	-		•	-	-
	1-2		-	-	-	-	-	-			-	•	*	-	-	*
	3	•	*	-	-			0.2	0.2	0.1		-	-	•	•	0.
32	4	•	-	•	-	-	*	*	0.2	0.1	*	*	•	-	•	0.
	5	•	-	-	-	•	-	*	*	*	*	-	-		•	*
	6		-	-	•	-	-	•	-		-	•	-	-		-
	7	•	-	-	-		-	•		-	-	-	•	-	-	-
TOTAL-			-	•	•	*	*	0.3	0.4	0.2	*	*	-	-	•	1.0
	1-2			-	-		-	-	-	-		-	-			-
	3		-	-	*	*	0.1	0.8	0.6	0.3	*	*		-		2.
42	4		-		-	W	0.1	0.4	0.9	0.6	0.1			-		2.
	5		-	-	-		*	0.1	0.2	0.1	*					0.
	6			-			-	-	*	-						*
	7															*
TOTAL		-			*	*	0.2	1.3	1.7	1.0	0.2	*	-			4.:
·OIAL	4.2										0.2					
	1-2				•			-	- 0.4	*	-	-	•	-	•	-
50	3	-	-	•		•			0.1				•	-	•	0.:
52	4	•	-	•	•	-	•		0.2	0.2		*	-	•	•	0.
	5	•	•	-	•	•	-		*	*	*	•	-	-	•	0.
	6	-	•	-	-	-	-	*	*	-	*	-	-	•	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL	/						*	0.1	0.3	0.3						0.

Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Octobe	r 2, 200	3 STAPLE							
	LEAF								OTAPLE	<u>. </u>						
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	-	-	-		PGI.	PCt.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-	-	-		-		*				-	-	-	
62	4	-	-	-	-	-	-	*			*	-	-	-	_	
	5	-	•	-	*	-	-	-	*	*	-	-	-	~	-	*
	6 7	-	•	-		-	-	-	-	•	-	-	-	-		-
TOTAL-		-	-			-	-	*	*	*	*	-	•	•	•	-
	1-2	-	-	-	-		-	-	-		-		-	-		
	3	-	-		-	-	*	-	-		-		-	-		*
13 & 23	4	-	-	-	-	-	-	-	-		-		-	*	-	-
- 1	5	-	-	-	-	-	-	-	-	٠	-	-	-	-	*	-
	6 7	-	-	-	-	-			-		•	-	-	-	•	-
TOTAL-			-			-	*	-	-		-	-	-		-	*
	1-2	-	-	-	-	-	-	-	-	-	-		-	-		-
	3	-	-	-	-	•	-	*	*	*	-		-	-		
33	4	-	•	-	-	•	-	•	*	*	-	•	-	-		*
	5		-		-	-	•	-	-	-	-	-	-	-	-	-
	7	-		-			-		-			-	-			-
TOTAL-		-	-		-	•	•	*	*	*	-	-				*
	1-2	-	-	-		-	-	-	-	-		-	-	-	-	-
	3	-	-	-	•	-	- :	*	*	*	-	-	-	-	•	*
43	5		-	•	-	•					-	-	-	-	•	*
	6		-	-			-	-	_		-	-	-		-	_
H	7	-	-	-	-	-	-		-	-	_	-	-	-		_
TOTAL			-	-	-		*	*	*	*	-	-	-	-		*
	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	3 4	-	•	-	-	-	-		•	•	-	-	-	-	-	*
55	5		-	-	-		_	-	-		-	-	-		-	
	6	-		-	-	-	-	-	-		*	*	-	•	-	*
	7	-	-	-	-		-	•	-	-	-	-	-	-	-	-
TOTAL-		-	-	-	-	-	-	*	*	-	*	•	•	•	•	*
	1-2	-	-	-	-	•	-	-	•	•	-	-	-	-	-	-
63	3 4						-		*	*	-		-	-	-	*
00	5	-	-		-	-	_	_	-	_	-	-	-	-	-	_
	6	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4.7		•	-	-	•	•			*	-	-		•	-	
24-54 25-35	1-7								-			-		-		
81-85 1/	1-7	-	-	-		*	-	-	*	-	-	-	-		-	*
All Colors	8 2/	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-
OTAL, ALL		-	•		*	*	0.9	14.0	41.1	35.0	7.5	1.3	0.2	*	•	100.0
TRANEOUS MAT	TER													erage Sta		34.4
		0.7											Perce	nt Tende	rable	86.6
Rark Lovel 4		-														
Bark - Level 1 Bark - Level 2																
Bark - Level 1 Bark - Level 2 Grass - Level 1		0.3														
Bark - Level 2 Grass - Level 1 Grass - Level 2	1 2	-														
Bark - Level 2 Grass - Level 1 Grass - Level 2 Prep - Level 1	1 2	0.2														
Bark - Level 2 Grass - Level 1 Grass - Level 2	1 2 1	-														

59,340 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. Less than 0.05 percent.

Table 9. – *Kansas*: Percent distribution of color, leaf and staple for upland cotton classed: October 2, 2003

QUALITY	H						Octobe	r 2, 200	STAPLE							
COLOR	LEAF	26 & -	28	20	20	24	20	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-		-	-	•	•	-	-	-	-		-
11 & 21	3	-	•	-	-	•	-	-	-	-	-	-	-	-	•	1
110.21	5		-			_		-	-	-	-		_	-	-	
	6	-	-	-	-	-	-	-	-	•	-		-	-	-	-
TOTAL—	7	-		-	-	•	-	-	-	-	-	-		-	-	-
TOTAL-	1-2	-	-	-:-	-	-	-	-	-			-	-		-	-:-
	3	-	-	-		-		-	-	-	-	-	-	-		-
31	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	•	-	-	-	-	-	-	•	Ī	-	_	-	
	7	-	-				-	-	-		-	-	_	-	-	•
TOTAL-		-	-			•	•	-	-	-	-	-	-			-
	1-2	~	-		-	•		-	•	-	-	-	-	-	-	-
41	3 4		-	-		-	-	-	-	1	-	-	_	-	-	
	5	-	-	-	-		-	-	-	-	-	-	-	-	-	-
	6	-	-	•	•	•	•	-	-	•	-	-	-	-	-	•
TOTAL—	7				-	-	-	-	-	•	-	-	•	•	-	•
.oral	1-2	-	-		-	-		-	-		•	<u> </u>	-	-		-
	3	-	-	-	-			-	-	-	-	-	-		-	-
51	4 5	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•
	5			-			-	-						-		
	7	-	-	-	•	-	-	-	-	•	-	-	-			
TOTAL—		-	•	-	•	•	-	-	•	-		•	-	-	-	•
	1-2	-		-		-					:			-		
61	4	-	-	-	-			-	-				-	_		-
	5	-	-	-	•	-	-	-	-	•	•	-	•	~	•	-
	6 7	•	-			•			-		•			-	•	-
TOTAL-		-	-	-		-	-	-	-	•	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	•	•	-	•	•	-	-	-
74	3	-	•	-	-		-	-	-	-	-	-	-	-	-	-
71	5	-	-	-	-			-								
	6	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-
TOTAL—	7	-		-	•	•	•	-		•	<u>:</u>	•	•	-	-	-
TOTAL	1-2		-	-	-	-		-			-		-	-	-	<u> </u>
	3	-	-	-		-	-	-		-				-		
12 & 22	4	-	-	-	•	•	-	-	-	-	-	•	-	-	-	•
	5 6	-	-			-	•	-		-		-				
	7	-	-		-	-	-	-	-	-	-	-	-	-		-
TOTAL-		•	-	-	•	-	•	•	-	-	-	•		•	•	-
	1-2		-	-	-		-	-	•	-	-	-		-		-
32	4		-	-			-	-	-	-		-		1		
	5	•	-	-	•	-	-	-	-	-	•	-	-	-	-	-
	6 7			1	-	•	•		•	•	-	•	•	-	•	•
TOTAL-			-	-	-		-		-			-	-		-	
	1-2	-	-	-	•	-		-	+	-	-	-	-	-	-	-
40	3	-	-	-	-	-	-	-	-	•	-	-	•	-	-	
42	5			-			-	-	-	-	-	-	-	-		
	6	-	•	-	-	-		•		-		-	-			-
TOTAL-	7	-	-	-	-	-		-	-	-	-	-	-	-	-	-
TOTAL-	1-2	-	-		•	-:-		-	<u> </u>	-	-	-	-	-	-	-
	3	-	-	-						-		-	-			
52	4	-	-	-	-	•	-	-	-	-	-	•		-	-	-
	5	•	-			-	-	-	•	•	-	•	-	-	-	-
	7				-			-		-	-					
TOTAL-		-	-	-	-	-		-	-			-	-	-	-	
Less than 0.05 pe	ercent.															

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:

COLOR LEAF COLOR LEAF COLOR LEAF COLOR LEAF COLOR COLOR	TOTAL Pct
COLOR	Pct
Pct. Pct.	Pct
1-2 3	-
62	
TOTAL— 1-2 3	
13 & 23	-
7	
13 & 23	-
13 & 23	-
13 & 23 3	-
13 & 23	:
5	
7	-
TOTAL—	-
1-2	-
3	-
33 4	-
5	-
	-
TOTAL— 7	-
10/AL— 1-2	
43 4	
5	
	-
7	-
TOTAL	
1-2	-
3	-
53 4	•
5	
TOTAL	
1-2	-
3	
63 4	
5	-
6	-
7	-
TOTAL	-
24-54 1-7	-
25-35 1-7	
81-85 1/ 1-7	
All Colors 8 2/	0
EXTRANEOUS MATTER Average Staple	
Percent Tenderable	
Bark - Level 1 -	
Bark - Level 2 -	
Grass - Level 1 -	
Grass - Level 2 -	
Prep - Level 1 -	
Prep - Level 2 0	
Other - Level 1 0	
Other - Level 1 0 - Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.	

Table 10. – *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Octobe	r 2, 200	3 STAPLE							
	LEAF	2.00	00	00	00	0.4	00	00	0.4	25	00	07	20	20	40 P +	TOTAL
COLOR	-	26 & - Pct.	28 Pct.	29 Pct.	90 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
	1-2	FGI.	ru.	F C.L.		= =	0.1	0.8	1.2	0.3	*	*	-	-	-	2.5
	3			_	-		0.2	1.9	2.8	1.0	0.2	0.1	*			6.2
11 & 21	4	-	-	-	-	-			0.1	*	*	*	*	-	-	0.2
	5	-			-	-		*	-	~	-	-	-	-	•	*
	6	-	-	-	-	-	•	-	-	-	•	-	-	-	•	-
TOTAL	7	-		-	-		- 0.4		-	- 4.0	-	0.4	*		-	- 0.0
TOTAL	1-2	-		-	•	*	0.4	1.0	4.0	1.3	0.2	0.1				8.8 2.9
	3			-	-	*	0.2	10.0	20.3	9.6	2.6	0.8	0.1		-	44.3
31	4	-	-	-	_		0.1	1.2	5.1	4.4	1.6	1.5	0.4	*	-	14.3
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.1	*		0.5
	6	-	-	•	-	-	-	•	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-			-	•	*
TOTAL		-	-	-	•	*	1.2	12.2	26.9	14.4	4.3	2.5	0.5	*	•	62.0
	1-2	-	-	-	-	-			*				*	•	•	0.1
44	3	-	-	-		*	0.2	2.1 0.8	3.8 4.1	2.1 3.8	0.6 1.7	0.1 1.5		*		8.9
41	5						*	*	0.3	0.6	0.5	1.2	0.3 0.5			12.4 3.1
	6	-		-	-				*	*	*	0.1	*			0.2
	7		-	-	-				-	-		-	*	-	-	*
TOTAL		-		-	-	*	0.3	3.0	8.2	6.5	2.9	3.0	0.8	0.1	*	24.8
	1-2	-	-	-	-	-	-	-	*	*	•	-	-	•	-	*
54	3	-	-	-	-	-	*	*	*	*		*	-	-	-	0.1
51	4 5	-	-	•	-	•	•	*		0.1				•	•	0.1
	6	_			-			_		*		*		-	-	0.1
	7	-	-	-	-		-	-	-		_	-		-	-	-
TOTAL-		-	-	-	-		*	*	*	0.1	*	¥	*	-	-	0.3
	1-2	-	-	-	-	•	-		-	-		-	-	-	-	-
	3	-	•	-	-	-		•	*	-	-		-	-	-	*
61	4	-	-	-	-	•	•	-	*		-	-		-	-	*
	5	-	-	-	-	•	-	•	-	-	-	-	-	-	-	-
	7								-						-	
TOTAL		-	-		-	-	-			*	-	-	-	-		*
	1-2	-	-	-	-	-	-	-	-		-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-
71	4	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	•	•	-	•
!	6 7		-	-	-	_		-	-				-		-	
TOTAL		-	-	-	-			-	-				-		-	-
	1-2	-	-	-	-	*	*	*	*		-		-	-		*
	3	-	-	-	-	*	*	*	*	*	-	•	-	-	-	
12 & 22	4	-	-	-	-	•	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	•	-	-	-	•	•	-	-	-	-
	6 7	-	•	-	-	-	•	•	-	-	-	-	•	-	-	-
TOTAL				-	-	*	*	*	*	*	-:-	· ·				*
	1-2	-	-	-	-	*		*	*	*		-		-	-	0.1
	3	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-			0.7
32	4	-		-		*		0.2	0.3	0.1	ŵ	*	-	-		0.6
	5	•	-	-	•	•	-	*	*	*	*	-	*	-	-	*
			-	-	-	-	-	•	•	•	•	•	-	-	-	•
TOTAL	6			-	-	*	0.1	0.5	0.5	0.2	*	*	*	-	-	1.4
[[1][A]	7		-	-	-				V. V	U. Z						1.4
TOTAL	7	•	•	-			*	*	*	*						*
IUIAL		•	-	-	-	•			*	0.1		:			:	*
42	1-2	-	-	-	-	-	*	*		* 0.1 0.3	0.1	-		-	-	0.9
	7 1-2 3 4 5	-	:	-	:	-	0.1	0.4	* 0.3 0.5 0.1	0.3 0.1		•		-	-	* 0.9 1.2 0.2
	7 1-2 3 4 5 6	-	-	-	- - - -		0.1	0.4 0.3	0.3 0.5	0.3	0.1	•	•	-	-	* 0.9 1.2
42	7 1-2 3 4 5	-	- - - - -	-		-	0.1	* 0.4 0.3 * *	* 0.3 0.5 0.1 *	0.3 0.1 *	0.1	*	-	-	-	* 0.9 1.2 0.2 *
	7 1-2 3 4 5 6 7	-	-	-	-	-	0.1	0.4 0.3	* 0.3 0.5 0.1	0.3 0.1	0.1	*		-	:	0.9 1.2 0.2
42	7 1-2 3 4 5 6 7	-	- - - - -	-		-	0.1	* 0.4 0.3 * *	* 0.3 0.5 0.1 *	0.3 0.1 *	0.1	*	•	-	-	* 0.9 1.2 0.2 *
42 TOTAL	7 1-2 3 4 5 6 7	-	- - - - -	-		-	0.1	* 0.4 0.3 * *	* 0.3 0.5 0.1 * - 0.9	0.3 0.1 *	0.1	*		-	-	* 0.9 1.2 0.2 * -
42	7 1-2 3 4 5 6 7	-	- - - - -	-		-	0.1	* 0.4 0.3 * *	0.3 0.5 0.1 *	0.3 0.1 *	0.1	*	-	-	-	* 0.9 1.2 0.2 * - 2.3
42 TOTAL	7 1-2 3 4 5 6 7 1-2 3 4 5	-	- - - - -	-		-	0.1	* 0.4 0.3 * *	* 0.3 0.5 0.1 * - 0.9	0.3 0.1 *	0.1	*	-	-	-	* 0.9 1.2 0.2 * -
42 TOTAL	7 1-2 3 4 5 6 7 1-2 3 4 5	-	- - - - -	-			0.1	* 0.4 0.3 * *	* 0.3 0.5 0.1 * - 0.9	0.3	0.1			-	-	* 0.9 1.2 0.2 * - 2.3 - * 0.1 0.1

^{*} Less than 0.05 percent.

Table 10. – Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

1		,					Octobe	r 2, 200	3			3 0011011				
QUALITY	LEAE								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	20	27	00		40.0	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2	-	-	-	-	-	-		-		-	-	-	-	7 CL.	- Ct.
	3	-	-	-		-	*	*	*	*		-		_		str.
62	4	-	-	-	-	-	*	*	*	*	-	-	-	_		*
	5	-	-	-	•	-	-	-	-	-	-	-	-	-		-
	6	-	-	-	•	-	-	-	-	-	-	-	-		-	-
TOTAL-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4.0	-		-	•		-		*	*	-	-	-	•	•	*
	1-2	-	•	-	-	-	-	-	-	*	•	-	-	-	-	*
13 & 23	4		-			-	-	-	_		•	-	-	-	-	*
10 0.20	5			-				1	•		•	•	-	-	-	
	6	_	_	-					-		-	-	-		-	-
	7	-										-	-	-		•
TOTAL-		-		-		-	-	-	*	*		*			-	*
	1-2	-	-	-		-	-	-	*		-			-	-	*
	3	-	-	-	-		*	*	*		*	-		_		*
33	4	-	-	-	-	-	-	*	*	*	*	_		-	-	*
	5	-	-	-	-	-	-	-	-	-	•	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-		-	-	-	-
	7	-	-	-	-	-		-	-		-	-		*	-	
TOTAL-		-	-	-	•	-	*	*	*	*	*	-		•		*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		-
40	3	-	-	-	•	•					-	•	-	-	-	*
43	5	-	•	•	•	-	*	-		-		-	-	-	•	
	6		-	•	1	-		-	_			-	-	-	*	
	7		-				-	-	_							
TOTAL			-	-	-	-	*	*	*	*	*	-			-	*
	1-2	-	-	-		-	-	-	-		-					
	3	-	-	-	-		*					-				
53	4	-		-	-	-	-		*	*		-	-	-	_	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-		-	-
TOTAL-		•	•	-	-	-	*	*	*	*	•	-	•	-	•	0.1
	1-2	-	-	-	•	-	-	-	-	-	- 1	-	-	-	-	-
	3	-	-		•	-		_ I		•		-	-	•	-	
63	4	-	-	-	•	-	-		_	-	•	-	-	-	•	•
	5		-			-	-	1	-		-	-	-			
	7						_									
TOTAL-		-	-	-	-		*		*		*		-	-		*
24-54	1-7						*	*	*	w	*	-				*
25-35	1-7	-	-			-	-	-				-	-			
81-85 1/	1-7		-	-	-	-	*	*	*			-	-			*
All Colors	8 2/	-	-	-					-		-	-	-	-	-	
TOTAL, ALL		•		•	•	*	2.1	19.2	40.8	23.2	7.6	5.7	1.3	0.1	*	100.0
EXTRANEOUS MA	TTER													rage Sta		34.4
													Perce	nt Tende	rable	74.1
Bark - Level	1	1.1														
Bark - Level		-														
Grass - Level		0.5														
Grass - Level Prep - Level																
Prep - Level	2															
Other - Level	1															
Other - Level	1															
241,250	Bales cl	assed.	1/ Below	Grade Co	lor. 2/ Bel	ow Grade	Leaf. * I	ess than	0.05 perc	ent.						

Table 11. – *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Octobe	er 2, 200	3 STAPLE							
COLOR	LEAF	26 & -	26	20	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	28 Pct.	29 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-		-	-		*	0.1	0.2		*	-		-	-	0.4
	3	-	-	-	-		0.1	1.2	2.2	0.8	0.2	*	*		-	4.5
11 & 21	4	-	-	-	•	-	*	0.1	0.3	0.2	0.1			•	-	0.7
	5	-	-	•	-	-	-		-	-		-	_			
	7	_								-	-				-	
TOTAL	-	-		-	-	*	0.1	1.4	2.7	1.1	0.2	*	*	*		5.6
	1-2	-		-	•	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.7
	3	-	-	-	-	*	0.6	7.9	15.7	8.2	1.3	0.1		*	*	34.0
31	4	-	-	-	-	*	0.1	3.0	10.5	9.4	2.6	0.5	0.1	*	•	26.2
	5	-	-	-	-	•			0.5	0.7	0.2					1.4
	7			_	-	-	-	*		-	-			_		*
TOTAL		-	-	-	•	*	0.7	11.3	27.0	18.4	4.1	0.6	0.2	*	*	62.4
	1-2	-	-	-	-	-	*	*	*	*	-	•	-		-	*
	3	-	-	-	-	*	*	1.5	3.3	1.8	0.3	*	*	-	-	7.0
41	4	-	•	-	-	*	*	1.5	5.8	6.3	2.1	0.3	0.1	*	-	16.1
	5		•	•	•	•		0.1	0.9	1.4	0.5	0.2	*	*		3.2 0.1
	6 7															0.1
TOTAL		-	-	-	-	*	0.1	3.1	10.0	9.6	3.0	0.5	0.1	*		26.4
	1-2	-				*			*	*						*
	3	-	-	-		-	*	*	*	*	*	*	-	-	-	*
51	4 5	-	-	•	-	-	*	*			*		*	-	•	0.1
	5 6		_	-			*	*					_	-		
	7		-	-	_		_	_	-	-	-		_			-
TOTAL		-		-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
i i	1-2	-	-	-	-	•	-	*	-	-	-	•	-		-	•
	3	-	•	-	~	•	*	*	*	*	•	•	*	-		*
61	4	-	-	-	-	-	•				*	*	-	-	-	*
	5 6				-	-	-	_					_			
	7	-		-	-	-		-	-	-	-	-			_	
TOTAL		-	-		-	-	*	w	*	*	*	*	*	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-		-	-
	3	-	•	-	-	-	•	-	•	-	-	-	•	-	-	-
71	5		-	-		_		_	_	-	•	-		-		•
	6	-	-	_	_	-	-	_		_						
	7	-		-	-	-	40	-	•	-	-	-		-	-	-
TOTAL		-	-		-	-	-		-	-	•	-	-	•	•	-
	1-2	-	-	-	-	-	*	*	*	-	-	•	-	-	-	*.
12 🖟 22	3 4	-	-	-		-		*				-	•	•	-	0.1
12 0 22	5					-		*								
	6	-	-	-	-	-	-		-	-	-	•	-	-	-	
	7	-	•	-	-		-	-	-	•	-		-	-		-
TOTAL		-	-	-	-		*	*	*	*	*	-	-	•	-	0.1
	1-2				-	*	*	0.4	0.4	0.1	*	•	-	-	•	4.0
32	4		-	-	-		*	0.4	0.4	0.1	0.1					1.0 1.4
	5	-	-	-	-		-	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	•	-	*	*	*	-	-	-	-	*
TOTAL	7	-	-	-	-	*	0.1	0.6	1.1	0.7	-	-		-	•	-
TOTAL	1-2	-			-		#	*	7.7	-	0.1		-	-	-	2.6
	3			_		*	*	0.2	0.3	0.1		*	-			0.5
42	4	-		•	-	*	•	0.2	0.7	0.5	0.1	*	-			1.6
	5	-	-	-	-	-	*	*	0.2	0.2	*	*	-	*	-	0.5
- 8	6	-	-	•	-	-	-	*	*	*	*	*	-	•	•	•
		-	-	-	-	+	*	0.5	1.2	0.8	0.1	-	-	-	•	-
TOTAL	7		-	-	-			0.5	*	0.8	0.7		-		-	2.6
TOTAL				_						•	-	-	-	•	-	
TOTAL	1-2	-	-	-	-	-	*	*	*	*	*	-				-
<i>TOTAL</i>		-	-	-	-	-	*	*		*	*	*		-	-	•
	1-2 3 4 5	-	-	-	-		•	*	•	*	•	*	*	-	-	*
	1-2 3 4 5 6	-	-	-	-	-	•	*	*	* * *	•	*	*	-	-	*
	1-2 3 4 5	-	-				•	*	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	•	- * - - *	*	-	-	0.1

^{*} Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		October 2, 2003 STAPLE															
	LEAF																
COLOR		26 & -	28	29	30	31	32	33_	34	35	36	37	38	39	40 & +	TOT	
	4.0	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Po	
	1-2	-	•	•	-			-	*	-	-	-	-	-	-	1	
62	4	-	-	•	-						-	*	-	-	-		
02	5	_	-	-	-	•	-		- 1			-		-	-	1	
	6		-	_	-	-	•	-	*	-	~	-	-	-	-		
	7						•	•	•	•	•	-	•	-	-		
TOTAL	-		-		-	-	-			-		-	-	-	•		
	1-2	-											-				
	3			-				_		•	-	-	•	-	•		
13 & 23	4				_	_		-	-				-	-			
	5	-	_		-	_											
	6		-		-	_			_		-			-			
	7		-	-	-	-	-	-									
TOTAL-				-	-					-			-	-			
	1-2	-	-	-	-		-	-	-		-	-	-	-			
	3	-	-	-	-	-		*		*	-	-		-			
33	4	-	-		-	-	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	*		-	-		,	
	6	-	•	-	-	-	-	-		•		-		-			
	7	-	-	•	-	-	-	-	-	-	-	-	-	-			
TOTAL		-		•	-	•	*	*	*	*	*		-	-		1	
43	1-2	-	-	•	-	-	-		-	-	-	-		-			
	3	-	-	-	-	-	•	*	*	*	-	*	-	-	•	1	
	4	-	•	-	-	-	*	*	*	*	*	*	-	-	•	1	
	5	-	•	•	-	-	-	-	•	*	-	-	-	-	•	1	
	6	-	•	-	•	-	•	-	•	-	-	•	-	-	•		
TOTAL-	7	-	-		-	-	*	-	*	-	-	*	-	-	-		
TOTAL	1-2	-	-		-								•	-	-		
		-	•	•	-	-	•	*	*	*	•	-	-	-	•		
53	3 4	-	-	•	•	-	*	*			-	-	•		•		
33	5					_					_		-	-	-		
	6				_			_						_			
	7					-	-	-	-								
TOTAL						-	*	*	*	*				-		1	
	1-2		-		-	-	-	-			-	-	-	-			
	3	-	-	*	-	-	-	-	-		-	-		-			
63	4	-	-	-	-	-	-	-		-	-	-	•	-			
	5	•	•	-	-	-	-	-	-	-	-	-	•	-	-		
	6	•	-	-	-		•	-	-		-	-	-	-	•		
	7	•	•			-	-	-	-	•	-	-	-	-	•		
TOTAL-		-	•	•	•	-	-					•	•	•		-	
24-54	1-7	-	•	-	-	-	-	-		*	*	*	*	-	-		
25-35	1-7	-	-	-	-	-	•	-	•	-	-	•	-	-	-		
81-85 1/	1-7	-	-	•	•	•	•	-	-		*	•	-	-	-		
All Colors	∄ 2/	*		•	-	+	1.1	17.0	42.2	30.6	7.6	1.2	0.3	*	*	100	
AL, ALL		-		•	-		1.1	17.0	44.2	30.0	7.0	1.2		rage Sta	olo	34.	
RANEOUS MAT	TER													erage Star nt Tender		59.	
Bark - Level	1	0.2											1-6106	renuel	2010	and.	
Bark - Level		*															
Grass - Level		0.2															
Grass - Level		*															
Prep - Level		*															
Prep - Level:																	
Other - Level	1																

Table 12. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

	11						Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-		0.2	-	-	-	~	-	-	0.2
44.0.04	3	-	-	-	-	-	-	0.1	2.1	1.1	0.2	-	-	-	-	3.5
11 & 21	5	-	-	•	-	-			0.1	0.2	0.1	-	-			0.4
	6			-	_	_	-	_	-	-			_	-		
	7	-	-		-	-		-	-		-	-	-	-	-	
TOTAL-		-	-		-	-	-	0.2	2.4	1.3	0.3	-			•	4.1
	1-2	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.2
	3	-	-	-	-	-	-	*	12.6	19.9	7.1	0.6	-	-	-	40.3
31	4	-	-	-	•	•	-	•	5.5	16.9	11.2	0.5	-	-	-	34.1
	5	-	-	-	-	-	-	-		1.5	1.3			-		2.9
	7		_	_								_				
TOTAL		-			-		-	0.1	18.4	38.3	19.6	1.2	-	-	-	77.5
	1-2	-	-	-	-	-	-	-	-		-	-	-	-	-	-
	3	-	-	-	-	+	-	-	0.6	1.4	0.3	-	-	-	•	2.2
41	4	-	•	-	-	-	-		0.8	3.8	3.8	0.1	-	-	-	8.6
	5	-	-	•	-	-	-	*	0.5	3.0	2.9	0.1	-	-	-	6.6
	6 7				-				-	-	-		-			-
TOTAL	,	-	-	•	-	-	-	*	1.9	8.2	7.0	0.2	-	-	-	17.4
	1-2	-	-	-	-		-	-	-	-	-	-	-	-	-	-
	3		•	•	-	-	-	-	-		-	-	-	•	-	-
51	4	-	-	-	-	-	-	-	-	-	-	•	-	-	•	•
	5	-	-	-	-	•	-	-	-	-	~	-	-	•	-	-
	6 7	-	•		-	•	•	•	-	-	-	•	•	-	•	•
TOTAL-		-	-	-	-:-			-	-			-		-	-	
	1-2	-			-	-		-	-	-		-	-		-	-
	3	-	-		-	-	-	-	-	-		-	-	-	-	-
61	4	-	-	•	-	-	-	-	-	-		-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-		•	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	•	-	•
TOTAL-	7	-		-				-		•	-	-	-	-	-	-
TOTAL	1-2	-	**	-		-	-			-						
	3		-	-	-	-	-	-	-	-	-	-	-			-
71	4	-	•	•	-	-	-	-	-	-		-	-	-	-	-
	5	-	-	-	•	•	-	-	-	-	-	•	•	-	-	-
	6	-	•	•	•	-	•	-	-	•	•	-	-	•	-	•
TOTAL	7	-	•		-	-	-	-	-			-	-			
TOTAL	1-2		-												-	-
	3	-	-	-			-	-								-
12 & 22	4	-	-	-		-	-	-	-	-		-	-		-	
	5	-	-	-	•	-	-	-	•	-	•	-	-	-		
	6	-	-	-	~	-	-	-	-	-	•	-	•	-	•	-
TOTAL	7	-			•	-	-	-	•	-	•	-	-	•	-	
TOTAL	1-2			-		-		-				-		•	•	
	3	-	-	-	-											
32	4	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-		-	-
	6	-	-	-	•	-	-	-	•	-	-	•	•	-		-
TOTAL-	7	-	-	-	-	-	•	*	-	0.4	-	-	-	•	•	-
TOTAL-	1-2		•		•	•			•	0.1	•	_	-	-	-	0.1
	3			-						0.1					•	0.2
42	4	-		-		-			*	0.2		-	-			0.2
	5	-	-	-	-		-			•	0.1	*	-	-		0.2
	6	•		-	-	-	-	•	•	-	-	-	-	•	-	-
7074	7	-	-	-	-	-	-		-	-	-	-	-	•		-
TOTAL	4.0	•	•	-	-	-	•	•	0.1	0.3	0.1	*	-		-	0.5
	1-2			-							-	-	•	-	-	-
52	4	-	-	-	-	-		-								
	5	-	-	-	-	-	-	-	-	-	-	•	-			_
	6	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-		-	•	-	-
* Less than 0.05 p			u	-	-	-		•	•	•	-	-		-	•	-
- Less than 0.05 n	ercent															

Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:

							Octobe	r 2, 200	3		apiana	0011011	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	22	2.4	25	20	07				
OOLOIK		Pct.	28 Pct.	Pct.	Pct.	Pct.	Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	97 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL
	1-2	-	-	-		-	-	-	- ·	-	-	-		PGI.	PGL.	Pct.
	3	-	-	-	-	-	-	-	-		_	-	_			
62	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-
	6 7	-	-	-	-	-	-	•	-	-	-	-	-	-	-	•
TOTAL-		-		-		-	-	-	-	-		-	-	-	-	-
TOTAL	1-2						-	-	-	-	•	-	•	-	-	
	3	-							-	-	-	•	•	-	•	•
13 & 23	4	-	-		-	-	-	-					_	_		-
	5	-	-	-	-	-	-	-	-	-	-	-	_			-
	6	-	-	-	-		-	-	-		-	-	-			
	7	-	-	-	-	-	-	-	-		-	-	-	-	-	-
TOTAL-		-	-	-	-	-	•	-	•	-		•	-	-	-	-
	1-2	-	-		-	-	-	-	-	•		-	-	-	-	-
33	3 4		-	•	-	•	-	•	-	-	-	-	-	-	•	-
33	5	_			_	-	-	-	-	-	_	-		-	-	-
	6	-	-	-		-							-			Ī
	7	-	-	-	-	-		_		-	-	-	_	-		
TOTAL		-	-	-	-	40	-	-	-	-		-		-	-	
	1-2	-	-	•	-	-	-		-	-		•	-	-	-	-
	3	-	-	•	-	-	-	-	0.2	-	-	-	-	-	-	0.2
43	4		-	-	-	-	-	•	-	-	-	-	-	-	-	-
	5	•	-	•	-	-	•	-	-	-	-	-	-	-	-	-
	6 7			•		-	1	-	-	-	•		-	-	-	-
TOTAL-			-		-	-	-		0.2			-	-			0.2
	1-2		-	-	-	-		-	-				-	-	-	
	3	-	-	-	-	-	-	-	_	-		_	-	-		-
53	4	-	-	-	-	-	-	-	-	-	-	-		-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	•	•	-	-
	6	-	-	-	-	-	-	*	-	-	•	-	-	-	-	-
TOTAL-	7	-	-	-	-	•		-	-	-	-	-	-	-		
TOTAL-	4.2	-		*	-		-	-				-	-	-	•	•
	1-2						Ţ		-		-	_				
63	4		-	-	-		-	_	-		-			-	~	-
	5	-	-	-	-	-	-		-		-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
	7	-	-	-	-	-		•	-	-		-	-	-	-	-
TOTAL				-	-	-	-	-	•	-	-	•	-	-	•	*
24-54	1-7	-	-	-	-	•	-	-	•	-	•	-	•	•	•	-
25-35	1-7	-	-	-	-	*	-	*	-	-			-	-	-	*
81-85 1/ All Colors	1-7 8 2/		-			-						-		-	-	
TOTAL, ALL	02		-		-	-	-	0.4	23.0	48.2	27.0	1.4				100.0
EXTRANEOUS MA	TTER												Ave	erage Sta	ple	35.1
Bark - Level Bark - Level Grass - Level Grass - Level Prep - Level	2 1 2 1	- * -											Perce	ent Tende	rable	92.6
Prep - Level	2	•														
Other - Level	1	•														
Other - Level	1 Bales cl	accod '	I / Bolow (Grade Col	or. 2/ Belo	ow Grade	leaf =1	ace than	0.05 perc	ent						

1,883 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 13. – **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

	0	11					Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-		-	-	-
44.0.04	3	-	-	-	-	-	-	-	-	-	-	-	16.7	-	-	16.7
11 & 21	5	*	-	-	-	-	•	-	•	-	-	-	•	-	-	-
	6		-									_		_		
	7	-		_		_				_				-	-	-
TOTAL-		-	-	-	-	-	-	-	-	-	-	-	16.7	-	-	16.7
	1-2	-	-	-	•	-	-	-	-	-	-	16.7			-	16.7
	3	-	-	-	-	-	-	-	-	-	16.7	-	33.3	16.7	•	66.7
31	4	-		~	-	-	-	-	-	-	-	*	-	-	•	-
	5	-	-	-	•	-	-	-	•	-	-	-	•	-	•	•
	7		_			-	-	-	-					-		
TOTAL		-	-	-	-	-	-	-	-	-	16.7	16.7	33.3	16.7	-	83.3
	1-2			-		-	-	-	-	-	-	-		-	-	-
	3	-	-	-		-	-	-	-	-	-	-	•	-		-
41	4	-	-	-	-	-	-	-	-	-	-	•	-	-	-	•
	5	-	-	-	•	-	-	-	-	-	-	-	•	-	•	•
	6 7	1	•	•	-	-	4	-		-	•	-	1	•	-	•
TOTAL	-	-	-		-				-	-			•	-	-	-
TOTAL	1-2	-	-									-			-	•
	3	-		-										-		
51	4	-	-	•	•	-	•	-	-	-		-	-	-	-	•
	5	-	-	-	-	-	•	-	-	-	•	-	-	-	•	**
	6	-	-	-	-	-	•	-	•	-	-	-	-	-	-	•
TOTAL-	7	-	-	-	-	-		-	•	-	-	-	-	-	-	
TOTAL-	1-2	-		-	-	-	-	-							-	-
	3			_								- [-	-	
61	4	-		-	_	-	-	-	-	-		-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-
TOTAL	7	-	-		-	-	-	-	-	•	-	-	-	-	-	
TOTAL-	1-2	-	-		-	-	-		-	-	-	-	-	-		-
	3			-							_	-	-			
71	4	-		-	_	_	_	-	-	_		_				
	5	-		-	-	-	-	-	-	-	-	-		-	-	-
	6	-	•	-	-	-	-	-	•	•	-	-	-	•	•	•
70741	7	-		-	-	•	-	-	-	-	-	-		-	-	-
TOTAL	10	-	•	•	-	•	•	•	-	-		•		•		<u> </u>
	1-2		-	-	-	-		-	-		-	-	-	-		-
12 & 22	4	_		-	_	-	_			-	_	-	-			
	5	-	-	-	-	-	-		-	-	-	_	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-		-	•	-	-	•	-		-			-
TOTAL	4.0	-	•	-	-	-	-		-				•	•	•	<u> </u>
	1-2		-		•				-	•	-	•	-	-	•	•
32	4															
	5		-	-	-				-		-		-			-
	6	-	-	-	~	-	-		•	-	-		-	-		
	7	-	•	-	-		•	-	-	•	-	-				
TOTAL		•	•	-	-	-	-	•	-	-		•	-	-		-
	1-2	-	-	•	-	-	-	•	-	-	-	-	-	-	•	•
42	3 4												•	•	•	
74	5				-								-			
	6	-		-		-		-	-	-				-	-	
	7	-		-	-	-	-	-		-	-	-	-	-	-	
TOTAL-		-	•	-	-	-	-	-	-	-	•	-	-	•	•	-
	1-2	-	•	-	-	-	-	-	-	-	-	•		-	-	-
50	3	-	•	-	•	-	-	-	-	-	•	•	•	•	-	•
52	5								-	-		-	•	-	•	-
	6	-		-		-		-								
	7		-						-	-				-		
TOTAL		•	-	-		-	-	-	-	-		-		-	-	
* Less than 0.05 pe	ercent.															

^{*} Less than 0.05 percent.

Table 13. – New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:

							Octobe	r 2, 200	3				1 014550			
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	~	-	-
	3	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-
62	4 =	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
	5 6	_			-	-	-	-	-	-	-	-	-	-	-	-
	7	_	-	-	-		_				~	-	-	-	-	-
TOTAL-		-	-	-	-		-	-		-		-	-	-		-
	1-2	-		-	-	-	-	-	-	-	-	-	-			
	3	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-
13 & 23	4	-	-	-	-	-	-	-	-	-	-	-	-	-	~	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 7	-	-	-	-	-	-	-	-	-	-	-	•	-	-	-
TOTAL-	-	-	-	-	-	-		-	-		-	-	-	•	-	-
TOTAL	1-2										-	-	-	•	-	-
	3	-	-	-				-							-	
33	4	-	-		-				-	-					-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-
TOTAL-		-	-	•	*	-	•	•	-	-	-	•	•		•	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	3 4	-	-	-	-	-	-	-	•	•	-	-	-	-	-	-
40	5	_	_	-	-			-	-	-		_	-			
	6			-	-	-		-	-			_		_	_	
	7		-	-	-	-	-	-	-	-	-	-		-	-	-
TOTAL-		-	-	-	-	-		-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	~	-	-	-	-	-	-	-	-	-	-	-
53	4	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
!	5	-		_	_	_			-		_		-	-	_	-
	7	_		_			_	_			-	_				
TOTAL		-	-	-	-	-	-	-	-			-	-	-		
	1-2	-	-	-	-	-	-		-	-	-	-	-	-	-	
	3	-	-	-	•		-	-	-	-	-	-	-		-	-
63	4	-	-	-	-	-	-	-	-	-		-	-	-	-	-
	5	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
	6	-	-	-	•	•	*	-	-	-	-	-	-	-	-	-
TOTAL-	7	-		-	-		-	-			-		-		-	
24-54	1-7		-			-	-	-	-		-		-	-	-	
25-35	1-7		_		-	_		_	-	-	_	_	_	-	-	-
81-85 1/	1-7	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-		-	•		-	-	-		•	-	-	-	**	
TOTAL, ALL		-	-	-	-	-	*		-	•	16.7	16.7	50.0	16.7	•	100.0
EXTRANEOUS MA	TTER												Av	erage Sta	ple	37.7
													Perc	ent Tende	rable	66.7
Bark - Level		-														
Grass - Level																
Grass - Level		_														
Prep - Level		-														
Prep - Level	2															
Other - Level	1	33.3														
Other - Level		-		0 : 5		1 6	1 - 6 - 5		0.05							
6	Bales c	lassed. '	1/ Below	Grade Co	olor. 2/ Be	low Grade	e Leat. " l	ess than	u.up perc	ent.						

Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

							Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
OOLON		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-		-		-	0.2		-		-	-	-	0.2
	3	-	-	-	-		0.1	0.2	1.7	1.6	0.1	-	-	-	-	3.7
11 & 21	4	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1
	5	-	•	-	•	-	•	*	-	•	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	•	-	-	-	•	-	-
TOTAL	7	-	-	-	-	•	0.4	- 0.2	2.0	4.6	- 0.4			-	-	4.0
TOTAL	10	-	-	-	-		0.1	0.2	2.0	1.6	0.1	-	•	-	-	0.1
	1-2	-	•	_		•	2.5	9.7	0.1 15.0	14.9	3.2	0.1		-	-	45.4
31	4		-				0.4	6.1	11.9	13.0	3.8	0.1		_		35.4
0,	5		-				-	-	0.1	0.1	-	-				0.2
	6	-	-	-	-	_	-	-	-		-		-	-		-
	7	-	-	-	-	-	-		-	-	-		-	-	-	-
TOTAL		-	-	•	•	-	3.0	15.9	27.0	28.0	7.0	0.1	-	-		81.0
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	3	-	-	100	-	-	0.2	1.3	1.2	1.1	0.7	•	-	-	-	4.6
41	4	-	-	-	~	•	-	0.7	2.1	1.1	0.6	0.1	-	-	•	4.6
	5	-	-	-	-	-	•	-	0.1	-	-	•	-	-	-	0.1
	6 7	-	-	-	•	-	•		•	•	•	•	-			
TOTAL-	1	-	-	-		-	0.2	2.0	3.3	2.2	1.3	0.1	-	-	-	9.2
TOTAL	1-2						-	-	-	-	-	-				-
	3								-							
51	4	-	-						0.1				-			0.1
	5	-	-	-	-	-	-	-	-		-	-	-	-		-
	6	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1
	7	-	-	-	•	-		-		•	•	-	-	-	•	-
TOTAL		-	-	-	•		-	-	0.1	0.1	-	-		-		0.1
	1-2	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-
04	3	-	-	-	*	-	•	-	-	•	-	•	-	-	-	-
61	5	-	-	-	Ť		•	-	-	•	-	•	-	-	-	-
	8		_	-	-			-	_	0.1	-					0.1
	7			_			_		_	-		_		-		-
TOTAL			-	-		-				0.1	-	-	-	-		0.1
	1-2			-	-		-	-	-	-	-	-		-		-
	3	-	-	-		-		-	-	-	•	-	-	-	-	-
71	4	-	-	-	-	-	-	-	~	-	-	-	•	•	•	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
	8	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-		-		-	-		-	-	-	-	-	-
TOTAL	1-2	-							-	-	-	•	-	-	-	-
	3	•								_			•	-		
12 & 22	4								_							
	5	_	-		-	-		-	-		-					
	6	-	-	-	-	-	-	-	-	-	•	-	-		-	-
	7	-	-	-	-	-	-	-	-	-			-	-	-	-
TOTAL		-	•		•	-		•	-	-	-	-	-	-	•	-
	1-2	-	•	•	-	•	-	-	-	-	•	•	-	-	-	-
00	3	-	-	-	-	-	-	0.1	-	0.1		-	•	-	•	0.1
32	5	•		•	•	•	•	0.1	0.1	0.7 0.7	0.4 0.4	0.7	•	•	-	2.0
	6								-	0.7	0.4					1.1 0.1
	7		-	-	-				-	-						0.1
TOTAL		-	-		-		-	0.1	0.1	1.5	0.8	0.7	-		-	3.3
	1-2	-			-	-	-	-	-		-	-	-	-		-
	3	-	-	-	-	-	-	0.1	0.1	0.1				-		0.3
42	4	-	-	-	-	-	-	0.1	0.1	0.3	•	0.1		-	-	0.5
	5	-	-	•	-		-	-	0.1	0.4	0.1	-	•	-	-	0.6
	6	•	•	•	-	•	-	-	-	0.1	0.1	-	-	-	-	0.1
TOTAL	7	-	-	-	-	•	-	- 0.4	- 0.2	-	- 0.4	-	•	-	-	-
TOTAL		-	-	-		•		0.1	0.3	0.9	0.1	0.1	•	-	-	1.5
	1-2	•	-	-	-	•	-	•	•	•	-	-	-	-	•	•
52	3 4								-					•	•	
JE	5								0.1			-				0.1
			-			-			-		-					-
	6															
	6 7		-	-	•	-	-	-	-	-	-		-	-	-	-
TOTAL Less than 0.05 pe	7	-	-	-	-	•	-	-	0.1	-	•	-	-	-	-	0.1

Table 14. - North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1.545							er 2, 200	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34		00	67	00		10.5	-
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOT
	1-2	-	-	~	-	-	-	-	-	1 01.	FCI.	FUL.	FGL.	PCI.	PCI.	Po
	3	-	-	-	_								•	-	-	•
62	4	-	-	-	-	-	-	_	_				_	-	-	
	5	-		-	-		-		_			_		•	•	•
	6	-	-	-	-	-	-	_					-		-	,
	7	-	-	-	-	-			_						-	
TOTAL-		-		-		-		-	-			-	-	-		
	1-2	-	-	-	-	-	-	-	-							
	3	-	-	-	-		-					-		_		
13 & 23	4	-	-	-	-	-	-	-	-		_	-	-			
	5	-	-	-	-	-	-			-	-	-			_	
	6	-	-		-	-	-		-			-		-	_	
	7	-	•	-	-	-			-	-		-	-	-	-	
TOTAL-		-		-	-	-	-	-	-	-	-	-		-		
	1-2	-		-		-	-	-	-	-		_		-	-	
	3	-	-	-	-	-	-	-		-	-	-	-			
33	4	-	-	-	-		-	-	-		-	-	-	-	-	
	5		•	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	~	-	-	~		-	-	-	-		-	
	7	-	-	-	-	-	-	-	-	-	-		-		-	
TOTAL		-	•	-	-	-	-	-				-	-			-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-		-	-	-			-		
43	4	-	-	-	-	-	-	-	-	0.6	-	-	-		-	0.
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-		-	-	-			
	7	-	-	-	-	-	-	-	•	-		-	-	-	-	
TOTAL		-	-		-		-	-	de .	0.6		-			-	0.
	1-2	-	-	•		-		-	-	-		-				
	3	-	-	-	-	-	-	-	-		-	-	•	•	-	
53	4	-	-	-	-	-	-	-	•	•	-	-	-	•	~	
	5	•	-	-	-	-	-	-	•	-	-	-	-		-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	•	-	
	7	-	-	-	-	•	-	-	-	-	-		~	•	-	
TOTAL		-	•	•	-	*	-		-	•				-	-	
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	•	-	
	3	-	•	-	-	-	-	-	-	-	-	-	-	-	-	
63	4	•	•	-	-	•	-	-	-	-	-	-	•	-	-	
	5	-	-	-	-	-	-	-	-	-	•	-	-	-	•	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	•	
	7		-	-	-	-		-	-	-	-	-	-	•	-	
TOTAL		-	•		-	-	-	-		•	-	-	-	-	-	
24-54	1-7		-	•	-	•	~	-	-	•	•	-	-	-	•	
25-35	1-7	•	•	-	-	•	-	-	-	-	-	-	-	-	•	-
81-85 1/	1-7		-	•	-		-	-	•	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	2.0	40.4	-	25.0	0.4	- 4.4		•	-	400
TAL, ALL	إلـــــا	•	•	-	-	-	3.2	18.4	32.9	35.0	9.4	1.1	-	•	-	100
RANEOUS MA	TTER													erage Sta		34 90
Bark - Level	1	0.5														
Bark - Level		-														
Grass - Level																
Grass - Level																
Prep - Level																
Prep - Level																
Other - Level	1	0.1														
Other - Level	1	-														

Table 15. – *Oklahoma:* Percent distribution of color, leaf and staple for upland cotton classed:

October 2, 2003

COLOR CO	OLIMITY	1						Octobe	er 2, 200	3							
COLOR	QUALITY	LEAF								STAPLE							
Pet	COLOR	LLA	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
11				Pct.	Pct.				Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 8 2			-	-	-									-	-	-	36.2
TOTAL		11	-	-	-				0.7		1.6		1.6	-	•	-	
FOTAL— TOTAL— TOTAL—	11 & 21		-	-	-				-	-	-	-	-	-	-	-	
TOTAL— 23		II I		-		0.3		-				-		-			
1.2		41 /	_	_					_	_	_	-	_			-	
31	TOTAL		-	-	-	2.3	9.2	1.6	2.6	15.1	9.5	7.9	10.2	-	-	-	58.6
31		1-2	-	-	•	-	0.3	-	-	0.3	0.3	3.3	9.2	-	-	-	13.5
TOTAL		3	-	-	-				-	•	-	1.3	1.0	•	-	-	2.6
TOTAL	31		-	-	-	2.0	3.3	0.3	-	•	-	-	-	•	-	•	
TOTAL— 1-2		11 1	-	•	•	_	-		-		-	•	•		-		
TOTAL— - 20 3.9 0.3 0.7 0.3 4.6 10.2 21.7 0.3 0.3 0.7 41 4 4			_	-												_	
12	TOTAL-		-	-		2.0	3.9	0.3	-	0.3	0.3	4.6	10.2	-	-		
41		1-2	-			-	-	-	-	-	0.3	0.3	•		-		0.7
TOTAL		3	-	-	-	-	•	-	-	-	•	-	-	-	-	-	
TOTAL	41	11 1	-	-	-	-	0.7	-	-	-	-	-	-	-	-	-	
TOTAL— TOTAL—		II I	-	-	*	*	•	-	-	-	-	•	-	•	-	-	-
TOTAL— 1.2 3 51 4 51 4 52 6 6 7 7 7 7 7 7 7 7 7 7 7		II I		-				-			-	-		-			
1-2	TOTAL		-	-		-	0.7	-	-	-	0.3	0.3	-	•		-	
51		1-2	-	-	-	-	-	-	-		-		-	-	•	10	-
TOTAL— TOTAL— 1-2 1-3 81 44		3	-	-	-		-	-	-	-	-	-	-	-	-	-	
TOTAL— 1-2 1-3 81 81 81 84	51		-	-	-	-	•	-	-	-	-	-	-	-	-	-	-
TOTAL— 1-2 3 61 4 5 62 7 TOTAL— 1-2 3 TOTAL— 1-2 1-2 TOTAL— 1-2 1-2 1-2 1-2 1-2 1-2 1-2 1-			-	-	-	-	•	-	-	-	-	-	-	-	-	•	•
TOTAL— 1-2 1-2 7			-		-			-	-	-	-		-				
61	TOTAL-	-	-	-	-	-		•	-	-	-	-				-	-
61		1-2	-	-	-	-	-	-	-	-	-	-				-	-
TOTAL— TOTAL— 11-2 11-2 11-2 71 4			-	-	-	-	-	-	-	-	-	-		-		-	-
TOTAL— TOTAL— 1-2 1-2 1-2 1-3 3	61	N N	-	•	-	-	-	•	-	•	-	•	-	•	-	-	-
TOTAL—			-	-	-	•	-	-	-	-	-	-	•	-	-	-	-
TOTAL— 1-2 1-2 3		11				-			_		-	•	•		-	•	•
71	TOTAL	\vdash	-	-			-		-			•	-	-			
71		1-2		-	-		-		-		-	-	-	-	-	•	-
TOTAL— 1-2			-	-	-		-	-	-		-	-	-	-	-	-	
TOTAL— 1-2	71		-	-	-	-	•	-	•	•	-		-	-	-	-	-
TOTAL— 7		H H	-	-	•	-	-	-	-	•	-	-	•	-	-	-	-
TOTAL— 1-2				-	-				-		•	-		•	•	•	•
1-2	TOTAL		-	-	-	-	-	-	•	-	•			-		-	-
12 & 22		1-2	-	-		1		-	-	0.3	-	-		-	-		
TOTAL— 1-2			-	-	•	-		-	1.3			0.3	-	-	-	-	8.2
TOTAL— 1-2	12 & 22		-	-	-	-	1.6	0.3	-	•	0.3	-	-	-	-	-	2.3
TOTAL— 7		11 14	-	-	~	•	-	-	-	•	-	-	-	•	-	-	•
TOTAL— 1-2				-:					-		-				-	-	-
1-2	TOTAL-		-	-			2.3	0.3	1.3	3.9	2.6	0.3	•				
32		1-2		-	-					-	•		-	-		-	
TOTAL			-	•	-				-	0.3		0.3	-	-	-	-	1.6
TOTAL— TOTAL— 1-2 3 42 44	32	11 11	-	-	-				-	-	0.3	-	-	-	-	-	4.3
TOTAL— 7		19 19	•	•	-		0.3	0.3	-	•	•	•	•	-	-	-	
TOTAL— 1-2 3		11 11	-				-		-		•			_			
42	TOTAL		-	-		2.0	2.0		-	0.3	1.0	0.3		•	-	-	
42		1-2	•		•	•	-	-			-			-			
5 6 7			-	-	-	•		-	-	-	-	•	-	-	•	-	
TOTAL— 1-2 3	42	II II	-	-	-	•	0.3	-	•	-	•	•	•	-	-	-	0.3
TOTAL—— 7		11 12		-		-	-	•		-			-	-	-	•	•
TOTAL— 0.3 0.3 1-2		11 11			-										•		
52 1-2	TOTAL-		-		-	-	0.3		-	-	-				-		
52		1-2	-	-		•	-	-	-	•	-	-	-	-		-	
5			-	-	-	-	-	•	-	-	-	-	-	-	-	-	-
70TAL	52	I B	-	-	•	•	-	-	-	-	•	-	-	-	-	-	-
7		1	-	•		•	•	•	-	-	-	•	•	~	-	-	-
TOTAL		1 11								-	-				•	-	•
* Less than 0.05 percent.	TOTAL		-		-	•			-	-	-	-	-		-:-	-	
	* Less than 0.05 pe	ercent.															

Less than 0.05 percent

Table 15. – Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		1					Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	3 4	_	-	-	-		-	-	-	-	-	-	-	-	-	-
02	5	_	_	-			-	-	-		-	•	-	-	-	-
	6	-	-	-	-		_	-	_	-	-	-		-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	_		
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40.000	3	-	-	-	-	-	-	-	~	-	-	-	-	-	-	-
13 & 23	5			-		-	_	*	-	-	-	-	-	-	-	-
	6	-	_	-	-	-	-	-	-	-	-		-			-
	7	-	-	-	-	-	-		_	-	_					
TOTAL-		-	-		-	-	-	-	•	•		-		-		-
	1-2	-	-	-	-		-	•	•	-		-	-	-	11-1	-
	3	-	-	-	•	-	•	-	-	-	-	•	-	-	-	-
33	4	-	-	-	0.3	-	•	-	•	•	-	•	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	~	-	-	-	-	-	•
	6 7	-						_		-				-	•	
TOTAL		-	-		0.3	-		-	-	-	-		-	-		0.3
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5 7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-	-	-					-			-	-			-		
TOTAL	1-2	-	-	-		-	-	-			-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	_	-	-	-	-	
53	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	5	-	-	-	-	-	-	-	-	-	-	-	~	-	-	-
	8	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-
TOTAL-	7	-	-	-	-		-	-		-	-	-		-	-	
TOTAL-	1-2			-		-				-	-		-			
	3	_			_	_	_		-	-	-		-	-	-	~
63	4	-	_	-		-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-		-	-	
TOTAL-	4.7	-	-		•	-	-									
24-54	1-7 1-7		_			-	-							_		_
25-35 81-85 1/	1-7			_		-		-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-		-	-	-	-	-	-	-	•	-	-	-	
TOTAL, ALL		-	-	-	6.6	18.4	3.6	3.9	19.7	13.8	13.5	20.4	•	-	•	100.0
EXTRANEOUS MA	TTER												Av	erage Sta	aple	34.1
													Perce	ent Tende	erable	57.9
Bark - Level		2.6														
Bark - Level Grass - Level																
Grass - Level		-														
Prep - Level		-														
Prep - Level	2	-														
Other - Level	1	-														
Other - Level	Bales cl	-	1/ Relove	Grado Co	lor. 2/ Be	low Grade	leaf "I	ess than	0.05 perc	ent						
304	Baies Cl	asseu.	IN DEIOM	GIAUE CO	ioi. Zi De	ION GIAGE	Logi.	Lood ulall	J.Jo port							

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Octobe	r 2, 200	STAPLE							
	LEAF														42.5	7071
COLOR	-	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
	1-2	PCI.		PGI.	-	-	-	*	0.2	*	-	-	-	-	-	0.3
	3				-	-	0.2	0.5	1.2	0.9	0.3	-	-	-	-	3.1
11 & 21	4	-	-	-	-	-	-	0.1	0.3	0.8	0.3	-	-	-	-	1.6
	5	-	-		-	-	-	-		-	*	-	-	-	-	0.1
	6 7	-	-	-	-	-	-	-	•	•	-	-	-	-	•	-
TOTAL	/	-	-	-	-		0.2	0.7	1.8	1.7	0.7		-	-		5.1
	1-2		-	-	-	-	0.1	0.1	0.3	0.1	-	-	-	-		0.7
	3	-	-	•		-	0.6	4.1	10.0	8.8	2.3	0.2	-	-	-	25.9
31	4	-	•	-	-	-	*	1.2	7.6	11.6	11.9	2.0	w	•	-	34.3
	5	-	-	-	-	-	•	0.1	1.8	5.9	6.0	1.2	-	-	-	14.9
	6 7	-	•	-	•	-		-	0.4	0.6		-				1.0
TOTAL-		-	-	-	-		0.7	5.5	20.1	26.9	20.3	3.4	*			76.9
	1-2	-	-	-		-	-				-	-	-	-	-	-
	3	-	-	-	-	*	0.2	0.8	2.0	1.1	0.3		-	-	-	4.4
41	4	-	-	-	-	-	-	0.4	2.0	3.1	2.3	0.2	-	-	-	8.0
	5	-	-	-	-	-	-	0.1	1.3	2.1	1.2	0.1	-	-	-	4.9
	6 7							-		0.2	-	-				0.3
TOTAL-	-	-	-	-	-	*	0.2	1.3	5.4	6.5	3.8	0.3	-	-	-	17.6
	1-2	-	-	-	-	-	-		•	-	-	-	-	-	*	-
	3	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-
51	4		-	-	-	-	-	-	-	-	-	•	-	-	-	•
	5		-		-	-		-	-			_		_	_	-
	7		_	_				-	_							
TOTAL		-	-	-	-	•	-	-	-		-	-	-		-	-
	1-2	-		-	-	•	-	-	-	-	-	-		-		-
	3	•	-	-	-	-	-	-	-	-	-	-	-	-	-	•
61	4	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
	5					-	-	_	_	-	•	_	•	-		-
	7		_	_			-	-	-		-			-	-	
TOTAL		-	-	etr.	-		-		-	•	•	-	-		-	-
	1-2	-	-	•	-	-	-	-	-	•	-	-	-	-	-	-
7.	3	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	5	-	-	_	-			_	*	•	-	•	•	-	•	-
	6	-		-	-	-	_	-	-	-		-	-		_	
	7	-	-	-	-	-	-		-			-	-	-	-	-
TOTAL-		-	•	-	-	-			*		•		-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	3 4	-	-	_	-	-	-	_	-	-	•	•	-	-	-	-
12 0. 22	5		-				-		_	-			-		-	
	6	-	•	-	-	-	-	-		-	-	-	-	-	-	-
	7	-		-	-		-	-	•	-	-	-	-	-	-	-
TOTAL-	1.0	•	-	-	•	•	•	-	-	•	-	-	-	-	•	
	1-2	-	•	•	•	-	•	-	•	•	-	•	-	•	•	-
32	4		-					-			*					*
-	5		-	•	-		-	-		*	0.1		-	-		0.2
	6	•	-	-	-	-	-	-	•	-	-	-	-	-	-	-
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1-2	-			-				-		0.2		•	-	-	0.2
	3			-							-				-	
42	4	-	-	-	-	•	-	-		*				-		*
	5	-	•	-	•	-	-	-	•	*	-	•	-	-	-	
	6	•	-	•	•	•	-	-	-	*	•	-	•	-	-	*
TOTAL	7	-	-	-	-	-	-	-	-	0.1		-	•	-	-	0.4
TOTAL	1-2			-	-	-	-			-	-	<u> </u>		•		0.1
	3		-	-		-		-	*		-					*
52	4	-	-	-	-	•	-	-	-	-	-		•	-	-	-
	5	-	•	-	-	-	-	-	-	-	-	-		-	-	-
	6 7	•	•	-	•			~	•	1	-	•	-	•	-	-
TOTAL	-	-	•	-	-	-	.	-	*	-	-	-		-:	•	+
* Less than 0.05 pe	rcent											-				

^{*} Less than 0.05 percent.

Table 16. – South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Octobe	r 2, 200	3				on class			
	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	•	-	*	-	*	-	-	-				-		
62	3	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-
62	5	-	-	-	-	-	-	-	-	•	-	-		-	-	-
	6		-	-	-	-	-	-	-	-	-	-	•	-	-	•
	7			-	-			-	-	-	-	-	-	-	-	-
TOTAL-	-	-		-	-	-	-	-		-	-	-	-	-	-	-
	1-2	-	-			-						-	•	•	-	-
	3	-	-		-	-						-	-	_	*	•
13 & 23	4	-	-	_	-										-	_
	5	-	-	-	-	-	-	•	-	_	MA .	_	-	_		
	6	-	-	-	~	-	-	-	-	-	-	~	-	-	_	
	7	-	•	-	-	-	-	-		-		-	-	-	-	-
TOTAL		-	•	•	-	-		-	-	-	•			-	-	
	1-2	-	-	-	~	-	-		-	-	-	-	-	•	-	-
	3	-	-	-	-	*	•	-	-	-	-	-	-	-	-	-
33	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	•	-	-	*	-	-	•	-	-	-	-	-	-
	6 7		_	-		-		-	_	•	-	•	•	-	-	-
TOTAL		-	-					-			-	-	-	-	-	-
	1-2	-					-							-		
	3	-		-								_		-		-
43	4	-		-	-	*										*
	5	-	-	-	-	-	-	-	-	-		-	-	-	-	
	6	-		-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	•	-	•	•	_	•	-	-	-		-	
TOTAL-		-	-		-	*	4	•	-	-		•	-	-	-	*
	1-2	-	-	-	-	•	-	-	-	-	•	-	•	-	-	-
	3	-	•	-	-	-	•	-	-	-	-	-	•	-	-	~
53	4	-	-	-	-	-	*	•	-	-	-	-	•	-	-	-
	5		-		-			-	-	•	-	-	•	-	-	-
	7								-	_		_		_		
TOTAL						-	-		-		-	-	-	-		-
	1-2	-	-	-	-			-	-	-	-		-		-	-
	3	-	-		-	-	-	-	-	-	-	_	-	-	-	_
63	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	•	-	-	-	-		-	-	-
	6	•	•	-	-	-	-	-	-	-	-	-	*	-	•	-
	7	-	-	-		-	-	-	-		-	-	•	-	•	-
TOTAL-		•		-		•	•		•		-	-	•	-		-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	•	-	-	-	•
25-35 81-85 1/	1-7 1-7	-	•	-	•	•	•	-	•	•	-	-	•	-	•	-
All Colors	8 2/	-	-		-	-	-	_			_	-	-			-
TOTAL, ALL	02	-		-		0.1	1.1	7.5	27.4	35.4	24.9	3.7	*		-	100.0
EXTRANEOUS MA	TTER												Ave	erage Sta	ple	34.9
EXTITUTE COO MIX	1121												Perce	ent Tende	rable	86.3
Bark - Level	1	1.1														
Bark - Level	2	-														
Grass - Level		1.7														
Grass - Level		-														
Prep - Level		*														
Prep - Level	2	•														
Other - Level		•														
Other - Level	4 11															

Table 17. – **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed: October 2, 2003

OLIALITA	II -						Octobe	r 2, 200	3 STAPLE							-
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	*	0.8 1.5	0.2 1.6	0.1 1.5	0.2 0.8	0.1	-	-		1.2 5.5
11 & 21	3 4			-	-	-		1.5	1.0	0.1	0.6	*	_			0.3
11021	5	_	_	-	_			_	_	*	-		-			*
	6	-	-	-	-	-	-	-	-	-		-	-	-		-
	7	-	-	-	-	-	-			-	-	-		-		-
TOTAL		-	•	40	•	•	*	2.3	1.8	1.8	1.0	0.2	-	•	•	7.0
	1-2	-	-	-	-	-	-	0.2	0.3	0.2	0.1	-	•	-	•	0.8
	3	-	-	-	-	-	0.1	6.2	17.7	17.2	7.0	1.1	*	-	•	49.4
31	4	-	•	•	•	-	*	8.0	6.5	9.7	4.0	1.1		•	•	22.2
	5	-	-	-	•	-	•	•	0.1	0.3	0.4	0.1	-	•	•	0.8
	6 7		-	-		-	-	-		_		-	_			
TOTAL		-			-		0.1	7.3	24.7	27.4	11.5	2.3	0.1	-		73.3
	1-2	-			-	-	-	*		*	-			-	-	•
	3	-		-	-	-	*	1.0	2.6	1.5	0.4	0.1	-	-		5.7
41	4	-	-	-	-	-	*	0.5	2.9	3.5	1.4	0.4	-	-		8.7
	5	-	-	-	-	-	-	-	*	0.2	0.4		-	-	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	-	•	-	-	0.1
	7	-		40			-	4.5	- F C			•	-	-	-	45.2
TOTAL-		-	-	-		-		1.5	5.6	5.3	2.3	0.5	•			15.2
	1-2		-			-		*	0.1	*	*	•				0.1
51	4			~					*	*				-		*
31	5			-	_			-	-				-			
	6	-	-	-	-		-	-	-	-		-	-			-
	7	-		-	•		-	-	-		-	-	-			
TOTAL-		-		-	-	•	-	*	0.2	0.1	*	-		-	-	0.3
	1-2	-	-	•	-	•	-	-	-	-	-	-	-	•	•	
	3	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
61	4	-	-	-	•	-	-	•	-	•	-	-	-	-	•	-
	5	-	*	-	-	-	-	-	-	-	•	-	•	-	•	-
	6 7					-		•	-				•	-	•	•
TOTAL		-		-	-	-	-	-								-
	1-2	-	-	-			-		+			-		-	-	-
	3	*	•	-	-	-	-	-	-	-	-	-	-	-	-	
71	4	-	-	-		-	-	-	-	-	-	-	-	-	•	-
	5	-	-	-	-	•	-	-	-	-	-	•	•	-	•	-
	6	-	-	-	-	-	-	•	-	•	•	-	•	-	•	-
TOTAL-	7	-	-	-	-	-	-	-	-	-	-		-	-	•	-
TOTAL	1-2							-		-		-	-	•	-	-
	3			-				-	*		*	*	•	-		0.1
12 & 22	4															0.1
	5	-		-	-	-	-	-	-	-	-			-	-	
	6	-	-	-	-	-	-	-		-	-			-	-	-
	7	-		-	-	-		-	-		-		-	-	-	-
TOTAL		-	•	*	-	•	•	-	*	*	*	*	•		•	0.1
	1-2	-	-	-		-	-		*	-	-		•	-	•	*
32	3 4	-	•	-	•	•	-	*	0.2 0.1	0.4 0.7	0.6 0.2	0.2	-	•	-	1.4
32	5		-						0.1	0.7	*	0.1			-	1.2 0.1
	6		-	-						-						0.1
	7			-	-	-			-	-			-			-
TOTAL		-	-	-	•	-	-	0.1	0.4	1.2	0.8	0.3	-			2.8
	1-2	-		-		•	-		*	-		-	•		-	*
	3	-	-	-	-	•		0.1	0.1	0.1	0.1	*	-			0.4
42	4	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	0.4
	5	-	-	-	-	•	-	•	-	*	*	-	-	-	•	*
	6 7	-	•	-	•	•	•	•	-	•	•	•	-	-	-	-
TOTAL	7	-		-	-:-	-	-	0.1	0.2	0.3	0.1	-	•	-	-	-
101AL	1-2							0.1		0.3	0.1		-	-	-	0.8
	3								0.1				-	-	•	0.2
52	4	-						*	*		*					0.2
	5			-			-		-	-	-					0.1
	6			40	-	-	-	-	*	-	-			-	-	*
	7	-	-	•	-	-			-		-		-	-		-
TOTAL				•			-	0.1	0.2	*	*	-	-	-	-	0.3
Less than 0.05 pe	ercent															

^{*} Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

								er 2, 200	3		.or upiai		Classec			
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-		-	-	-	-	-	-	-	-
	3	-	-	-	-	•	-	-		-	-	-		-		*
62	4 5	-	-	-	-	-	-		-	-	-	-	-	-	-	
	5	-		•	-	-	-	-	-	-	•	-	•	-	-	-
	7							-	-	~	-	1	•	•	-	-
TOTAL		-	-		-	-	-	*	*					-	-	-
	1-2	-	-	-		-			-	-	-					
	3	-	-	-	-	-	-	-		-		-		_		
13 & 23	4	-	-	•	-	-	-	-	-	-	-	-		-	-	
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	•	
	6	-	-	•	-	-	-	-	•	-	-	-	-	-	-	-
TOTAL-	7	-	-	•	-		-	•	•	-		-	-	-	-	-
TOTAL	1-2	-		-	-	-			-	-		-	•	-		-
	3		-		-							•	•	-	-	-
33	4				-	-	-			0.1	0.1					0.2
	5	-	-	-	-	-	-	-	~	-	-		_	_	_	0.2
	6	-	-	-	-	-	-	-	-	-		-	-	-		
	7	-	-	-		-	-	-	-	-	-	_	-	-		0
TOTAL-		-	•	-	-	4	-	-		0.1	0.1	•	-	-	-	0.2
	1-2	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-
43	3 4	-	•	•	•	-	-	-	•			-	-	-	•	
40	5				-	-	_	•			-	-	-	•	•	
	6				•											-
	7	-	-		-	-	_	-	-	_	-	-				
TOTAL-			-		-	-	-	*	*	*	*					*
	1-2		-	-	-	-	-		-	-	*	-		-	-	-
	3	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-
53	4	-	-	•	•	-	-	-	-	-	•	-	-	-	-	-
	5	_	-	-		-		_	•	-	-		-	-	-	-
	7		_				-	-		-				-	-	
TOTAL-		-	-	-		-	-		-		**	-			-	-
	1-2			-	-		-	-		-	-	-	-	-	-	-
	3	-	-	-		-	-	-	-	-	-			-	-	-
63	4	-	-	-	-	-	-	•	-	-	-	•	-	-	-	
	5	•	-	•	-	-	-	•	-	•	-	•	•	-	-	-
	6	-	-	-	•	•	-	•	-	-	-	-	-	•	~	•
TOTAL-	7	-		-				<u> </u>		-:	-	-				•
24-54	1-7				-	-			-	-		-				
25-35	1-7		-	-	-		-	_	_		-	_	-	-	-	-
81-85 1/	1-7	-			-		-	-	-		-		-	-		
All Colors	8 2/	-	-	•	-		-	-	-		-	*	-	-	-	ŵ
TOTAL, ALL			-		-	•	0.2	11.4	33.0	36.1	15.9	3.4	0.1	-		100.0
EXTRANEOUS MA	TTER												Ave	rage Sta	ple	34.7
													Perce	nt Tende	rable	81.1
Bark - Level Bark - Level		0.6														
Grass - Level		0.1														
Grass - Level																
Prep - Level		*														
Prep - Level	2	-														
Other - Level	1	-														
Other - Level			1/ Below C)	0/0 /		1 6 *:		0.05							
12 071	Bales da	secon '	TI ROLOW C	rade Colo	or 2/ Rela	W Grade	1691 "	ess than	U.S. nerce	ent						

12,971 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. – *Texas*: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Octobe	r 2, 200	STAPLE							
	LEAF														40.0	
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TO P
	1-2	PCI.	PGI.	# #	0.1	0.3	0.6	Pct. 0.8	1.1	1.3	1.1	0.9	0.1	*	-	6
	3				0.1	0.3	0.8	1.8	2.9	4.0	4.7	4.8	0.7			20
11 & 21	4			*	*	U.3	*	0.1	0.3	0.4	0.4	0.4	0.1		*	1
110.21	5			-					U.5	U.4	=					
	6	-		-		-	-	_	_		*			-		
	7	_		_		-	-		_		-	-	-	-	-	
TOTAL-		-		*	0.2	0.6	1.4	2.8	4.2	5.7	6.2	6.1	0.8		*	28
	1-2	-	-	*	*	0.1	0.3	0.5	0.6	0.5	0.3	0.2	*	-		2
	3	-		*	0.1	0.3	1.1	2.7	4.8	5.6	5.5	5.4	1.0	*		2
31	4	-		*	*	0.1	0.3	0.7	1.3	1.9	2.0	2.9	0.8	*		10
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.1	*	*	0
	6	-	-	-		*	*	*	*	*	*	*	*	*		
	7		-	-	*	-	-	*	*	•	*	*	•	-	•	
TOTAL-		-	-	*	0.1	0.6	1.7	4.0	6.9	8.0	7.9	8.7	1.9	0.1	*	3
	1-2	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	C
	3	-	-	*	*	0.1	0.4	1.0	1.4	1.5	1.5	1.5	0.3	*	*	7
41	4	-	-	*	*	*	0.2	0.5	0.9	1.4	1.5	2.2	0.5	*	*	7
	5	-	-	*	*	*	0.1	0.2	0.2	0.2	0.3	0.4	0.1	*	*	1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	C
	7		•	-	-	-	*	*	*	*	*	*	*	-	-	
TOTAL		-	-	*	*	0.2	0.8	1.8	2.6	3.2	3.3	4.1	1.0	*	*	1
	1-2	-	•	-	*	*	*	*	*	*	*	*	-	-	-	
	3	-	•	•				0.1	0.1	0.1	0.1	0.1			•	(
51	4		•	-			Ţ		0.1	0.1	0.1	0.1	Ţ	•	•	0
	5	-	•	-	-									-	•	C
	6	-	-	-	-	*							Ţ	•	-	
TOTAL	7	-			*	-	0.1				0.0	- 0.0		*	•	
TOTAL		-					0.7	0.1	0.2	0.3	0.2	0.2			-	1
	1-2	-	•	-			:			1	-		-	•	•	
	3	-	•	-	•	*							•	•	•	
61	4	•	•	-	-	•	•	-		•			-	-	-	
	5	•	•	•	•	•	-	~					•	•	-	
	6 7	-	-	-	•	-	-	•	*			*	•	•	•	
TOTAL		-	-			-	*	*	*	-	*	*		-	-	
TOTAL	1-2													•	-	_
	3	-	-		•	•	_	•	•		-	-	•	•	•	
71	4					•			-	•	-	-	-	-	•	
/ 1	5									•	-	-			•	
	6															
	7											_				
TOTAL		-		-		-			•	*					-	_
TOTAL	1-2		*	*	*	*	0.1	0.1	*	*	*	*	*			
	3		*			0.2			0.2	0.2	0.2	0.2	*		•	C
12 & 22	4					*	0.3	0.3 0.1	0.2	0.2	0.2	0.3			•	1
12 0 22	5						*	*	*			*	*			0
	6			_					-	_						
	7			_	-	_										
TOTAL			*	*	0.1	0.3	0.4	0.5	0.3	0.3	0.3	0.3	0.1			2
	1-2			*	*	*	*	*	*	*	*	*	*		-	(
	3		ŵ	*	*	0.2	0.3	0.4	0.3	0.3	0.3	0.3	0.1	*		2
32	4			*	*	0.1	0.3	0.3	0.2	0.3	0.3	0.4	0.1	*	•	2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	C
	6	-	-	-	-	*	*		*	*	*	*	*	*	-	
	7	•		-		-	-	-	-	-	-	-	-		-	
TOTAL		-	*	*	0.1	0.4	0.6	0.7	0.6	0.7	0.6	0.8	0.2	*		4
	1-2	-	-	+	*	*	*	*	*	*	*	*	*			
	3		•	*	*	0.1	0.2	0.2	0.2	0.3	0.2	0.2		*		1
42	4		-	*	*	0.1	0.2	0.3	0.3	0.4	0.3	0.5	0.2	*	*	2
	5	-		*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	0
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-		-	•	-	*	*	*		*	*	-		-	
TOTAL		-	•	*	*	0.2	0.5	0.6	0.6	0.7	0.6	0.8	0.3	*	*	4
	1-2	-	-		-	-	*	*	*	*		*	*	-	-	
	3	-	-	•	*	*	*	*	*	*	*	*	*	*	-	0
52	4	-	•	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	0
	5		-	•	-	*	*	*	*	*	*	*	*	*	-	0
				-	-	-	*	*	*	*	*	*	*	*	-	
	6	•														
TOTAL	6 7		-	-	-	•	-	0.1	0.1	0.1	0.1	0.1	-	-		

Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:

	n						Octobe	r 2, 200	3							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40.9	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	40 & + Pct.	Pct.
	1-2	-		-	-			*	-	-	*	-	-	- 01.	-	*
	3	-	-	-	-			*	*				*	-	_	*
62	4	-	-	-	-	-			*				-	-		
	5	-	-	-	-	-		*	*		•		-		-	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	7		-	-	•	-	-		-	-	-	-	•		-	
TOTAL		-		-	-	*	*	-	-		*			*	-	*
	1-2	-	-	-		*	*	*	*	*	*	*	*	*	-	*
40.0.00	3	•	•					*	*	*		*	*	*	-	0.1
13 & 23	5	-	-	-	-	_							-	-	-	
	6			_	-				-	•		-	•	•	-	
	7					_						_		•	_	
TOTAL	-	-	*	*	*	*	*	*		*	*	*	*	*		0.1
	1-2		-	-		ŵ	*	*	*	*	*	*	*			*
	3	-		*	*	w	*			*	*	*		*	-	0.2
33	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	•	*	*	*	*	*	*	ŵ	*	*		-	*
	6	-	-	-	-	*	-	*	-	*	-	*	-		-	*
	7		-	-	-	-		•	-	•	•	-	-	-	-	-
TOTAL		-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	1-2	-	-	-	-	ŵ	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
43	4	-	•	*		*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	~										*	-	
	6 7		•	•	•					*			*	•	-	
TOTAL	/			*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.6
TOTAL	1-2						*		0.7	*	*	*	0.1			*
	3								*	*		*		*		0.1
53	4			-		-	*	*		*	*	*	*	*	-	0.1
	5	-				*		*	*	*	*	*	*	*	-	*
	6	-	-	-		*	*	*	*	*	*	*	-		-	*
	7	-	-	-	•	-	•	-	-	-	*	*	*		-	*
TOTAL		-			*	*	*	*	*	*	*	0.1	*	*	•	0.2
	1-2	•	-	-	-	-	-	-	*	-	-	**	•		-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	•	-	*
63	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	5	-	-	•	-	-	-	•	-		•		•	-	-	
	6	-	•	-	•	1	-	•	-		-		•	-	-	
	7		-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-		-	*	*	*	*	*	*	*	*	*	*	*	0.1
24-54	1-7	-	-	•						_						0.1
25-35 81-85 1/	1-7				-	-		*	*	*	*			*	-	
All Colors	8 2/			_	_			*	*		*	*	*		-	ŵ
TOTAL, ALL	1 × 2	-	*	0.1	0.5	2.3	5.7	10.7	15.7	19.2	19.7	21.7	4.4	0.2	*	100.0
EXTRANEOUS MA	TTER												Av	erage Sta	ple	35.1
EXTITUTE COO INT													Perci	ent Tende	rable	67.4
Bark - Level	1	6.1														
Bark - Level																
Grass - Level		4.4														
Grass - Level		0.1														
Prep - Level	11	0.5														
Prep - Level	2	*														
Other - Level	11															
Other - Level 1,093,591	11	*	110.1	0	olor. 2/ Be	love C 1	alogé Pi	000 45-	0.05.00	ont						
	D - 1	accod	1/ Below (Grade Co	olor. 2/Be	low Grade	e Leat. " l	Less than	u.us pero	ænt.						

Table 19. – *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Octobe	r 2, 200	STAPLE		аріала					
COLOR	LEAF	26 & -	28	29	30	31	32_	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	-	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	38 Pct.	Pct.	40 & + Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 & 21	3 4	-	-	-	-	-	-	-	-	-	-		-	-	-	-
11021	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-		-		-	-	-	-
	1-2	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
31	3 4	-	-	-	-	-	-	-	-	-	-	-	-	-	•	•
31	5	_	-	-	-	-		-	-	-	-	_	-	-		-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
44	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	5		-	-		-	-	-	-	-	-	-	-	-	-	_
	6	-	-	-	•	-	-	-	-	-	-	-	-	•	-	-
TOTAL	7	-	-	-				-				-	-	•	-	-
TOTAL	1-2	-			-	**	-	-	-	-	-				-	-
	3	-	-	-	-	-	-		-	-	-	-	-	-	-	-
51	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6			-	-		-	-	-		-	-	-	-	-	
TOTAL	7	-	-	-	-	-	-		-	-	-	-	-	-	-	-
TOTAL	1-2	-	-			-	-	•	-	-	-	-		-	-	•
	3	-	-	~	-	-	-	-	-	-	-	-	-	-	-	-
61	4 5	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-		_	-	-	-	-	-	_	-	-
	7	-	-	-	-	-	-	-		-		-	-	-	-	-
TOTAL	1-2	-	-	•	-	-	•	-	-	-	•	-	-	-	-	-
	3	-	-		-		-	-	-	-	-	-	-	-		
71	4	-	-	-	•	-	•	-	*	-	•	-	•	-	-	-
	5	-	-	-		-	-	-	-	-	-	-	-	-		-
	7	-	-	•	-		-	•	~	•	-	-	-	-	-	-
TOTAL	1-2	-	-	-	-	•	-	*	-	-	•			-		-
	3						-		-	-	-			-		-
12 & 22	4	•	-	-	-	-	-	•	-	-	-	-	-	-	-	•
	5		-	-	-		-	-	-	-	-	-	-			-
	7	-	•	-		-	-		-	-	-	-		-		
TOTAL	1-2	•	-	-	-	•	-	-	-	<u> </u>	-	•		•		-
	3										-					
32	4	-	-	-	-	•		-	-	-	-	-	-	-	-	-
	5			-	-	-				-	-	-	-	-		•
	7	-		-	-	_	-	-	•	-		-	-	-		
TOTAL		-	-		-	•	-	-			-	-	-	•	•	
	1-2	-	-		-		-	-	-	-	-	-	-			-
42	4	-	-	•	-		•	-	-	-	-	-	-	-	-	
	5	-			-	-						-	-	•	-	-
	7	-	-	-	-	-	_	-	-	-	-		-	-		-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2			-	-	-		-	-	-	-	-	-	•	•	-
52	4	•			-	•				-	-	-				
	5	•	-	•	-	•	•	-	•	-	-	-	•	-	•	•
	0 11		-	-	-	-		-				-		-		-
TOTAL	6 7	-	-	-	-	-	-	-	-		-	-		_		

Less than 0.05 percent

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:

	11						Octobe	r 2, 200	3		20.00.10					
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & - Pct.	28 Pct.	29 Pct.	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	-	PGI.	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-	-		-]					-	0	
62	4	-	-	-	-	-	-	-		-	-					-
	5	-	-	-	-	-	-	-	-	-	-	-		-	-	-
	6 7	-		-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	/		-	-	-	•	-	-	•		•	-	-	-	-	-
	1-2	-	-		-	-				-	-	-	-	-	-	-
	3	-	-	-	-			-		-						
13 & 23	4	-	-	-	-	-		-	-	-		-	-	- +	-	-
	5	-	-	-	-	-	-	-	-	-		-	-	-	-	-
	6 7						-			-		-	-			-
TOTAL	-	-	-	-	-		-		-	-	•	-	-	-	-	
	1-2	-	-				Name of	-	-	-		-	-	-		-
	3	-	-	-	• 11		-	-	-	3		-				-
33	4	-	-	-	-	-	-	-			-	-	-	-	-	-
	5	-	-		-	•	-	-		-	-	-	-	-	-	
	6 7				200				-							
TOTAL		-	-	-	-	-	-	-	-	-	-		-		-	-
	1-2	-		-	-		-	-	-	-		-		-	-	-
	3	-	-	-		-		-		-		-	-	-	-	-
43	4	-	-	-	-	-	-	-	-	-			-		-	-
	5			-			•		1			-	-		-	
	7											-				
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	•	•	-	-	-	-	-	-	-	-	-	
	3	-		-		-		-	-	•		-	-	-	-	-
53	5	1				1				17/			-	-		
	6	-		-			-		-	-		-		-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	•	-	-	-	-	•	-	-	-	-	-	-
	1-2	-	-	-				-	-	-	-	-	-	-	-	-
63	3 4	-		-	•	-					-					
03	5	-				1	-	-								
	6	-	-				-	-	-	-	-	-	-	-	-	-
	7	-		-	•	-	-	-	•	-	-	-	-	-	-	-
TOTAL		-	•	-	-				-		-		-	-	-	
24-54	1-7	-	-								13.4	13				
25-35 81-85 1/	1-7	-				_		-			-	12	-	-	-	-
All Colors	8 2/	-	-	-	-		-	-	-	-	-	-	031-	-	-	-
TOTAL, ALL		-	-	-	-	-	-	-	-	0	0	0	0	0	0	0
EXTRANEOUS MA	TTER												Ave	erage Sta ent Tende	ple	
Bark - Level													Perce	ent rende	rable	
Bark - Level																
Grass - Level		-														
Grass - Level	2	-														
Prep - Level	1	-														
Prep - Level	2	0														
Other - Level Other - Level	1	0														
- Calei - Fevel	Polos of		1/ Polovi /	Grade Co	lor 2/ Re	low Grade	aleaf *I	ace than	0.05 perc	ent						

⁻ Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 22. - Quality of American Pimacotton classed for producers by State and United States through

Quality Designation	Leaf	Arizona	October 2, 2003 California	New Mexico	Texas	United States
	1	22.8	0.0	0.0	0.0	21.6
	2	2.8	0.0	50.0	0.0	5.3
	3	0.0	0.0	37.5	0.0	2.0
01	3 4	0.0	0.0	0.0	0.0	
	5	0.0	0.0	0.0	0.0	
	6	0.0	0.0	0.0	0.0	-
	5 6 7	0.0	0.0	0.0	0.0	
Total		25.5	0.0	87.5	0.0	28.7
	1	26.2	0.0	0.0	0.0	24.8
	2	35.9	0.0	0.0	0.0	34.0
	3	12.4	0.0	12.5	0.0	12.4
02	4				0.0	12.4
02		0.0	0.0	0.0		-
	5	0.0	0.0	0.0	0.0	-
	6	0.0	0.0	0.0	0.0	-
	7	0.0	0.0	0.0	0.0	-
Total	-	74.5	0.0	12.5	0.0	71.3
	1	0.0	0.0	0.0	0.0	-
	2	0.0	0.0	0.0	0.0	
	3	0.0	0.0	0.0	0.0	-
03	4	0.0	0.0	0.0	0.0	
	5	0.0	0.0	0.0	0.0	
	6	0.0	0.0	0.0	0.0	
	7	0.0	0.0		0.0	
Total	-			0.0		-
Total		0.0	0.0	0.0	0.0	•
	1	0.0	0.0	0.0	0.0	-
	2	0.0	0.0	0.0	0.0	
	3	0.0	0.0	0.0	0.0	-
04	4	0.0	0.0	0.0	0.0	-
	5	0.0	0.0	0.0	0.0	
	6	0.0	0.0	0.0	0.0	
	7	0.0	0.0	0.0	0.0	
Total		0.0	0.0	0.0	0.0	
	1	0.0	0.0	0.0	0.0	
T. T. T. T. T. T.	2	0.0	0.0	0.0	0.0	
	3					-
		0.0	0.0	0.0	0.0	
05	4	0.0	0.0	0.0	0.0	
	5	0.0	0.0	0.0	0.0	
	6	0.0	0.0	0.0	0.0	-
	7	0.0	0.0	0.0	0.0	-
Total		0.0	0.0	0.0	0.0	
	1	0.0	0.0	0.0	0.0	-
	2	0.0	0.0	0.0	0.0	
	2 3	0.0	0.0	0.0	0.0	
06	4	0.0	0.0	0.0	0.0	
00	5	0.0	0.0	0.0	0.0	
	6					1
	7	0.0	0.0	0.0	0.0	
7-1-1	/	0.0	0.0	0.0	0.0	-
Total	-	0.0	0.0	0.0	0.0	•
	1	0.0	0.0	0.0	0.0	-
	2 3	0.0	0.0	0.0	0.0	-
		0.0	0.0	0.0	0.0	-
07	4	0.0	0.0	0.0	0.0	
	5	0.0	0.0	0.0	0.0	
	6	0.0	0.0	0.0	0.0	
	5 6 7	0.0	0.0	0.0	0.0	
Total		0.0	0.0	0.0	0.0	
TOTAL		0.0	0.0	0.0	0.0	
STAPLE		0.0	0.0	0.5		
40 & shorter		0.0	0.0	0.0	0.0	-
42		0.0	0.0	0.0	0.0	
44		24.8	0.0	12.5	0.0	24.2
46		62.8	0.0	87.5	0.0	64.1
48 & longer		12.4	0.0	0.0	0.0	11.8
Average		45.8	0.0	45.8	0.0	45.8
UNIFORMIT	1					
72 & below		0.0	0.0	0.0	0.0	
73		0.0	0.0	0.0	0.0	
74		0.0	0.0	0.0	0.0	
75		0.0	0.0	0.0	0.0	
76		0.0	0.0	0.0	0.0	
77		0.0	0.0	0.0	0.0	
78						
		0.0	0.0	0.0	0.0	
79		0.0	0.0	0.0	0.0	
80		0.0	0.0	0.0	0.0	
81		0.0	0.0	0.0	0.0	-
82		1.4	0.0	0.0	0.0	1.3
83		14.5	0.0	0.0	0.0	13.7
84		38.6	0.0	0.0	0.0	36.6
85		37.9	0.0	87.5	0.0	40.5
86		6.2	0.0	12.5	0.0	6.5
87		1.4	0.0			
88				0.0	0.0	1.3
		0.0	0.0	0.0	0.0	
		0.0	0.0	0.0	0.0	-
89						
89 90 & above		0.0	0.0	0.0	0.0	-
89				0.0 85.1	0.0	84.4

^{*} Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through

Quality Designation	Arizona	October 2, California	New Mexico	Texas	United States
MIKE 24 & below 25 - 26 27 - 29 30 - 32 33 - 34 35 - 36 37 - 42 43 - 49 50 - 52 53 & above Average	0.0 0.0 0.0 0.0 0.0 0.0 98.6 1.4 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 100.0 0.0 0.0 0.	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	98.7 1.3
ALL MIKE 24 & below 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 & above Average	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	5.9 18.3 18.3 34.7 18.3 3.2 1.3
Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.7 2.0 6.5 7.8 19.0 24.8 17.6 9.8 7.2 3.9 0.7
EXTRANEOUS MATTER Bark Grass Spindle Twist Preparation	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	:

^{*} Less than 0.05 percent.

